On the use of the term 'Evapotranspiration'

Diego G. Miralles¹, Wilfried Brutsaert², A. J. Dolman³, and John H. Gash⁴

¹Ghent University ²Cornell University ³VU University Amsterdam ⁴University of Lisbon

November 22, 2022

Abstract

Evaporation is the phenomenon by which a substance is converted from its liquid into its vapor phase, independently of where it lies in nature. However, language is alive, and just like regular speech, scientific terminology changes. Frequently those changes are grounded on a solid rationale; but sometimes these semantic transitions have a fragile foundation. That is the case with 'evapotranspiration'. A growing generation of scientists have been educated on using this terminology, and are unaware of the historical controversy and physical inconsistency that surrounds it. Here, we present what may appear to some as an esoteric linguistic discussion, yet it is triggered by the increasing time some of us have devoted to justifying our word choice to reviewers, editors and peers. By clarifying our arguments for using the term 'evaporation', we seek to prevent having to revive this discussion every time a new article is submitted, so that we can move directly on to more scientifically relevant matters.

On the use of the term 'Evapotranspiration'

D. G. Miralles^{1*}, W. Brutsaert², A. J. Dolman³, and J. H. Gash⁴

¹Hydro-Climate Extremes Lab (H-CEL), Ghent University, Ghent, Belgium.

² School of Civil and Environmental Engineering, Cornell University, Ithaca, New York, USA.

³ Department of Earth Sciences, Faculty of Science, VU University Amsterdam, Amsterdam, The Netherlands.

⁴ Centro de Estudos Florestais, Instituto Superior de Agronomia, Universidade de Lisboa, Lisbon, Portugal.

* Corresponding author: Diego G. Miralles (<u>diego.miralles@ugent.be</u>)

Key Points:

- 'Evapotranspiration' has gained popularity in recent decades and is currently more widely-used than the conventional term 'evaporation'.
- The term 'evapotranspiration' has both a controversial origin and a disputable physical rationale.
- We advocate to preserve the traditional term, 'evaporation', while not intending to impose its usage.

Abstract

Evaporation is the phenomenon by which a substance is converted from its liquid into its vapor phase, independently of where it lies in nature. However, language is alive, and just like regular speech, scientific terminology changes. Frequently those changes are grounded on a solid rationale; but sometimes these semantic transitions have a fragile foundation. That is the case with 'evapotranspiration'. A growing generation of scientists have been educated on using this terminology, and are unaware of the historical controversy and physical inconsistency that surrounds it. Here, we present what may appear to some as an esoteric linguistic discussion, yet it is triggered by the increasing time some of us have devoted to justifying our word choice to reviewers, editors and peers. By clarifying our arguments for using the term 'evaporation', we seek to prevent having to revive this discussion every time a new article is submitted, so that we can move directly on to more scientifically relevant matters.

1 Controversial Origin

The earliest documents using the simpler term 'evaporation' to refer to the vaporization of water from land, including transpiration, date from the mid-sixteenth century (Stanhill, 2005). The first appearances of the term 'evapo-transpiration' (in a hyphenated form) date from technical reports in the early 1930s in the United States (see e.g. McEwen, 1934). Only in the late '40s, did the term appear as 'evapotranspiration' for the first time in literature. It was in 1948, when the American geographer and climatologist Charles Thornthwaite presented the notion of (potential) 'evapotranspiration' and an empirical formulation to calculate it (Thornthwaite, 1948). However, the year 1948 did not make it to the hydrology shelves solely due to the work by Thornthwaite. Just three months later, British meteorologist Howard Penman, presented his renowned processbased equation, which would serve as a foundation for hydrological research for decades to come (Penman, 1948). In his lifetime, Howard Penman – as well as most contemporary scientists, such as John Monteith or Charles Priestley – refrained from using the new term 'evapotranspiration'. Some of them actively objected to it on the basis of its unnecessary complexity and redundancy (Stanhill, 2005). This prevented the term coined by Thornthwaite from gaining momentum during the half a century that followed.

However, recent decades have witnessed an almost exponential gain in popularity in the use of this term (Figure 1). Since the year 2000, 'evapotranspiration' has become more frequent in the scientific literature than 'evaporation' when referring to the integrated land-surface latent heat flux. On the basis of data from the Web of Science, Figure 1 illustrates the number of topical articles in which each of these two terms appears in the title; only publications that use the term 'evaporation' in the broader sense (including plant transpiration) are depicted here. Currently, the number of papers per year using 'evapotranspiration' is nearly triple the traditional counterpart. Interestingly though, the number of scientific articles using the equation by Thornthwaite (1948), which popularized the term 'evaporation' model by Penman (1948). One may conclude that, while Thornthwaite's model barely survived natural selection and now is only rarely taught in graduate programs, Charles Thornthwaite still won the battle over semantics and nomenclature in the long run.



Figure 1. Published articles using the term 'evapotranspiration' (top) or 'evaporation' (bottom) in the title to refer to the integrated land-surface latent heat flux. Number of articles making use of the model by Thornthwaite (1948) that popularized the term 'evapotranspiration' (top), together with other benchmark articles that used this terminology. Number of articles that refer to the use of the model by Penman (1948) (bottom), together with other seminal papers that used 'evaporation' instead. Data extracted from the Web of Science.

2 Transpiration is Evaporation

Transpiration involves the change of state of water from liquid to vapor occurring in the stomatal cavities and mesophyll of leaves, hence it is an evaporation process. Following that rationale, Figure 2 depicts the total evaporation from land (or terrestrial evaporation) embracing three main fluxes, components or sources: (a) transpiration (evaporation of water from inside the leaves), (b) evaporation from bare soils, and (c) interception loss (evaporation of intercepted precipitation). Moreover, the snow and ice sublimation, and the evaporation from rivers, reservoirs, small lakes etc., may also be considered.



Figure 2. Main components of land evaporation. The pie-chart indicates the global percentage of these three components, based on data from Wei et al. (2017). The bottom illustration shows a cross section of a wet leaf, with evaporation occurring inside the leaf (transpiration) and on its surface (interception loss). Note that the snow and ice sublimation, and the evaporation from rivers, reservoirs, small lakes etc., may also be included.

The fact that transpiration implies vaporization of water should suffice to end this semantic debate. However, the topical literature summarized in Figure 1 suggests that the term 'evapotranspiration' is tempting to use and hard to resist. Hence, in the following we clarify this point further. The redundancy of the term lies in the fact that 'transpiration' should already be included in the 'evapo' part of the term. A reasonable analogy can be drawn on the input side of the hydrological balance: although not yet coined in the literature, a term like '*precipisnowfall*' would be equally redundant – yet, if repeated often enough, it would start to sound just fine. While most scientists are aware of the lack of logic surrounding 'evapotranspiration', they consciously choose to use this terminology under the argument that transpiration is a separate physiological process regulated by vegetation. Yet, this argument seems hard to sustain, since the uniqueness of transpiration does not negate the fact that it is still an evaporation process. In defense of that view, one could add that the stomatal conductance is primarily regulated by meteorological and environmental conditions, and not necessary by the plant itself (Jarvis, 1976). In fact, transpiration and bare-soil evaporation share common drivers, and tend to be highly correlated to each other, while the same is not true for interception loss (Figure 3). It must be noted that we fully advocate the independent study of both the biological (transpiration) and non-biological (soil evaporation and interception) 'losses' of water into the atmosphere. Their separate understanding is crucial if we are to unravel the connection between the hydrological and carbon cycles, and is also key for agricultural sciences and food production (Shuttleworth and Wallace, 1985). As most instrumentation techniques are unable to measure these components individually, the exploration of new means to parse them out is paramount (Stoy et al., 2019). However, we believe that lumping these fluxes within the compound term 'evapotranspiration' does not facilitate steering the focus to transpiration, soil evaporation and interception independently. This point was clearly argued by Savenije (2004), which advocated the need to move beyond the study of the bulk flux.

3 What about Interception?

The scientific literature is inconclusive and inconsistent in regards to whether the term 'evapotranspiration' incorporates or not the flux of interception loss. For instance, the Food and Agriculture Organization (FAO) refers to 'evapotranspiration' as the 'combination of two separate processes, whereby water is lost on the one hand from the soil surface by evaporation, and on the other hand from the crop by transpiration' (Allen et al., 1998). However, the importance of rainfall interception in forests cannot be overstated; and at continental scales, it is arguably of similar magnitude to soil evaporation (Figure 2) – i.e. 10–20% of the total latent heat flux over land (Miralles et al., 2011; Wei et al., 2017). From a water management point of view, interception represents a net 'loss' of water for ecosystems, in the sense that it comprises a fraction of precipitation that does not reach the ground and is thus not available for biological uptake or societal use. Its consideration, both independently and as a component of terrestrial evaporation, is therefore of prime importance.

Even if one were to take the charitable view that 'evapotranspiration' does in fact embrace all three fluxes in Figure 2, the unique nature of interception loss in terms of its physical characteristics, drivers, timing and isotopic composition must be emphasized. Interception loss is mainly driven by precipitation and vegetation characteristics, with the vaporization of intercepted water occurring at rates that appear unconstrained by net radiation, often exceeding daytime rates of transpiration even at nighttime (Pearce and Rowe, 1980). On the basis of satellite-based model estimates (Martens et al., 2017), Figure 3 shows that the correlations between transpiration and soil evaporation are high, especially in Northern Hemisphere energy-limited regions, while interception loss tends to follow different patterns in terms of seasonality and interannual variability. This uniqueness and magnitude of interception dynamics puts the need to single out transpiration into serious question. Would the term '*evapointerception*' be in fact more justified? The truth is that the invention and usage of any compound term is both largely arbitrary and unnecessary. Using artificially composed terminologies will not enhance our understanding of these individual components.



Figure 3. Correlation between land evaporation components. (top) Transpiration and soil evaporation. (bottom) Interception loss and soil evaporation. Derived from satellite-based model estimates spanning the period 1980–2019 – interception loss is limited to tall canopy interception (Martens et al., 2017).

4 Conclusions

From the above, it can be concluded that we would favor rendering the term 'evapotranspiration' obsolete on purely physical science grounds. However, this communication is neither a manifesto to abandon its use, nor is it an attempt to impose our terminology of choice on anyone. Others already embarked in the past on that noble quest in the past, apparently with limited success (Savenije, 2004). We understand that using the term can be illustrative during the active growing season at the field scales of agriculture. However, intentional users of the term should be mindful of its limitations. The term is meaningless, and even misleading, in the presence of abundant rains, when interception loss represents a large fraction of the evaporative flux; also in the presence of open-water surfaces, and during wintertime in the many regions of the world covered with snow and ice.

We understand it would be delusional to expect the total abandonment of the terminology. Nowadays, the use of the term 'evapotranspiration' is widespread, and even experts in the topic sometimes believe that one has misspoken or miswritten when one intentionally avoids using it. Nonetheless, we outlined a clear rationale for resisting this linguistic transition, by presenting a solid and physically-based argument on why the choice for the more correct and simpler term, 'evaporation', deserves not only to be respected, but also to be encouraged.

Acknowledgments

D. G. M. acknowledges funding from the European Research Council (ERC) under Grant agreement no. 715254 (DRY-2-DRY).

Data

Data used in Figure 3 can be downloaded at www.gleam.eu.

References

Allen, R. G., Pereira, L. S., Raes, D., & Smith, M. (1998). Crop evapotranspiration—guidelines for computing crop water requirements. FAO Irrigation and drainage, paper 56. Rome, Italy: FAO.

Bouchet, R. J. (1963). Evapotranspiration réelle, evapotranspiration potentielle, et production agricole. *Ann. Agron.*, 14, 743–824.

Brutsaert, W. (1982). Evaporation into the atmosphere: Theory, history, and applications (299 pp.). Dordrecht, Heidelberg, London, New York: Springer. https://doi.org/10.1007/978-94-017-1497-6.

Brutsaert, W., & Parlange, M. B. (1998). Hydrologic cycle explains the evaporation paradox. *Nature*, 396, 30, doi:10.1038/23845.

Fisher, J. B., Melton, F., Middleton, E., Hain, C., Anderson, M., Allen, R., McCabe, M. F., Hook, S., Baldocchi, D., Townsend, P. A., Kilic, A., Tu, K., Miralles, D. G., Perret, J., Lagouarde, J. P., Waliser, D., Purdy, A. J., French, A., Schimel, D., Famiglietti, J. S., Stephens, G., & Wood, E. F. (2017). The future of evapotranspiration: Global requirements for ecosystem functioning, carbon and climate feedbacks, agricultural management, and water resources. *Water Resour. Res.*, 53, 2618–2626, doi:10.1002/2016wr020175.

Gash, J. H., & Shuttleworth, W. J. (2007). Benchmark Papers in Hydrology: Evaporation. IAHS Press, Wallingford.

Hargreaves, G. H., & Samani, Z. A. (1982). Estimating potential evaporation. J. Irrig. Drain. Div., 108, 3, 225–230.

Jarvis, P. (1976). The interpretation of the variations in leaf water potential and stomatal conductance found in canopies in the field. *Philosophical Transactions of the Royal Society of London. B, Biological Sciences*, 273(927), 593–610.

Jasechko, S., Sharp, Z. D., Gibson, J. J., Birks, S. J., Yi, Y., & Fawcett, P. J. (2013). Terrestrial water fluxes dominated by transpiration. *Nature*, 496, 347–350, doi:10.1038/nature11983.

Jensen, M. E., Burman, R. D., & Allen, R. G. (1990). Evapotranspiration and irrigation water requirements, ASCE Manuals and Reports on Engineering Practice.

Jung, M., Reichstein, M., Ciais, P., Seneviratne, S. I., Sheffield, J., Goulden, M. L., Bonan, G., Cescatti, A., Chen, J., de Jeu, R., Dolman, A. J., Eugster, W., Gerten, D., Gianelle, D., Gobron, N., Heinke, J., Kimball, J., Law, B. E., Montagnani, L., Mu, Q., Mueller, B., Oleson, K., Papale, D., Richardson, A. D., Roupsard, O., Running, S., Tomelleri, E., Viovy, N., Weber, U., Williams, C., Wood, E., Zaehle, S., & Zhang, K. (2010): Recent decline in the global land evapotranspiration trend due to limited moisture supply. *Nature*, 467, 951–954, doi:10.1038/nature09396.

Martens, B., Miralles, D. G., Lievens, H., van der Schalie, R., De Jeu, R. A. M., Fernández-Prieto, D., Beck, H. E., Dorigo, W. A., & Verhoest, N. E. C. (2017). GLEAM v3: satellite-based land evaporation and root-zone soil moisture. *Geosci. Model Dev.*, 10(5), 1903–1925, doi:10.5194/gmd-10-1903-2017.

McEwen, G. F. (1934). Report of the committee on evaporation, Eos Trans. AGU, 1933–1934, 15(2), 296–297, doi:10.1029/TR015i002p00296.

Miralles, D. G., De Jeu, R. A. M., Gash, J. H., Holmes, T. R. H., & Dolman, A. J. (2011). Magnitude and variability of land evaporation and its components at the global scale. *Hydrol. Earth Syst. Sci.*, 15(3), 967–981, doi:10.5194/hess-15-967-2011.

Monteith, J. L. (1965). Evaporation and environment, Symp. Soc. Exp. Biol., 19, 205-234.

Pearce, A. J., Rowe, L. K., & Stewart, J. B. (1980). Nighttime, wet canopy evaporation rates and the water balance of an evergreen mixed forest. *Water Resour. Res.*, 16, 955–959, doi:10.1029/WR016i005p00955.

Priestley, C., & Taylor, R. (1972). On the assessment of surface heat flux and evaporation using large-scale parameters. *Mon. Weather Rev.*, 100, 81–92.

Savenije, H. H. G. (2004). The importance of interception and why we should delete the term evapotranspiration from our vocabulary. *Hydrol. Process.*, 18, 1507–1511, doi:10.1002/hyp.5563.

Shuttleworth, W. J., & Wallace, J. S. (1985) Evaporation from sparse crops-an energy combination theory. *Quart. J. Roy. Meteorol. Soc.*, 111, 839–855.

Stanhill, G. (2005). Evapotranspiration, in Encyclopedia of Soils in the Environment, edited by D. Hillel, 502–506, Elsevier, Oxford.

Stoy, P. C., El-Madany, T. S., Fisher, J. B., Gentine, P., Gerken, T., Good, S. P., Klosterhalfen, A., Liu, S., Miralles, D. G., Perez-Priego, O., Rigden, A. J., Skaggs, T. H., Wohlfahrt, G., Anderson, R. G., Coenders-Gerrits, A. M. J., Jung, M., Maes, W. H., Mammarella, I., Mauder, M., Migliavacca, M., Nelson, J. A., Poyatos, R., Reichstein, M., Scott, R. L., & Wolf, S. (2019). Reviews and syntheses: Turning the challenges of partitioning ecosystem evaporation and transpiration into opportunities. *Biogeosciences*, 16, 3747–3775, doi:10.5194/bg-16-3747-2019.

Wei, Z., Yoshimura, K., Wang, L., Miralles, D. G., Jasechko, S., & Lee, X. (2017). Revisiting the contribution of transpiration to global terrestrial evapotranspiration. *Geophys. Res. Lett.*, 44, 2792–2801, doi:10.1002/2016gl072235.