Principles of lithospheric plates movements and earthquakes triggering (shortened version)

Lubor Ostrihansky¹

¹pensioner

November 21, 2022

Abstract

Paper presents reasons why sometimes Full or New Moons correlate with earthquakes and sometimes not. Solution follows from calculations of tidal torques, dependent on Moon and Sun declinations, and their subtraction or addition gives resultant torques, able or unable to trigger earthquakes. To avoid usual objection,

that if tidal torque act on the whole bulge, then we would expect periodicity in the movement of the plates related to the orbit of the Moon around the Earth and earthquakes should be happening very regularly at fixed periodicity, what is not allegedly observed. For this reason, I present consequent earthquake triggering from Mantawai Fault in Sumatra, Palu-Koro Fault in Sulawesi and San Andrea Fault in California happening shortly one after in fall and winter 2004. Position of earthquake on length of day (LOD) graph presents tool for earthquake origin.

Principles of lithospheric plates movements and earthquakes 1 triggering (shortened version)

- 2 3
- 4 Lubor Ostřihanský
- Nad Palatou 7
- 5 6 7 150 00 Prague 5
- Czech Republic
- 8 ostrh@tiscali.cz
- 9

10 Abstract

- 11
- 12 Paper presents reasons why sometimes Full or New Moons correlate with
- earthquakes and sometimes not. Solution follows from calculations of tidal torques, 13
- dependent on Moon and Sun declinations, and their subtraction or addition gives 14
- 15 resultant torques, able or unable to trigger earthquakes. To avoid usual objection,
- that if tidal torque act on the whole bulge, then we would expect periodicity in the 16
- 17 movement of the plates related to the orbit of the Moon around the Earth and
- 18 earthquakes should be happening very regularly at fixed periodicity, what is not
- 19 allegedly observed. For this reason, I present consequent earthquake triggering from
- 20 Mantawai Fault in Sumatra, Palu-Koro Fault in Sulawesi and San Andrea Fault in
- 21 California happening shortly one after in fall and winter 2004. Position of earthquake
- on length of day (LOD) graph presents tool for earthquake origin. 22
- 23 24

25 Introduction

- 26
- 27 Attempts have been made to prove tidal relationship to earthquake triggering.
- 28 Statistical attempts are unconvincing and in many cases present insignificant results.
- Let us mention positive results from Schuster 1897, Emter 1997, Heaton 1975, 29
- Cochran et al. 2004, Métevier et al. 2009, Tanaka 2010, 2012 and Chen et al. 30
- 2012a,b. Any correlation between tides and seismic activity reject Yung and Zũrn 31
- 32 1997, Vidale et al 1998, Stein 2004 and Tormann et al. 2015. First at all it is necessary to prove that tides are sufficient not only to trigger earthquakes but that 33
- 34 they are able to move plates.
- 35

36 **Calculation of tidal forces**

37

38 To solve this problem let us calculate tidal forces, which act on plates. These forces 39 are: 1. Forces, which try to align the Earth's flattening to the level of acting tidal 40 forces, i.e. to the planes of Moon and Sun orbits. 2. Force, which brakes the Earth's 41 rotation, i.e., the tidal friction.

- 42
- 43 **1.** Fig. 1 shows the action of the tidal force in its most effective action during the Sumatra earthquake 2004. The torque acting on the plate can be calculated in 44 45 following steps (Brož et al 2012):
- Earth's angular velocity $\omega = 7.29 \ 10^{-5}$ rad/sec, Earth's moment of inertia I = 8.07× 46
- 10^{37} kg m² (Stacey, 1977). Earth's angular momentum L = I× ω = 5.89 ×10³³ kg m²s⁻¹. 47
- 48 Mass of the lithospheric bulge is
- 49

50
$$\mathsf{m}_{\mathsf{bulge}} = \frac{1}{2} \left(\frac{4}{3} \pi a b c - \frac{4}{3} \pi c^3 \right) \rho_{crust},$$

where we insert a = b = $R_e \approx 6378$ km, c = R - 21 km, $\rho_{crust} \approx 2700$ kg m⁻³ and we 51 get $m_{bulge} \approx 9.6 \times 10^{21}$ kg $\approx 1/624$ m_e. (Earth's mass $m_e = 5.9 \times 10^{24}$ kg). The torque of 52 force couple acting on the Earth is then: in case of the Sun (m_s , r_s Sun's mass and 53 54 distance, G gravitational constant)

55 56

$$M_{s} = 2 \times \frac{2Gm_{bulge}m_{s}}{r_{s}^{3}}R_{e}\cos\varepsilon R_{e}\sin\varepsilon, \qquad (1)$$

57

58 where $\varepsilon = 23.45^{\circ}$ is the obliquity of ecliptic to equator. This is valid only in case if the 59 mass of bulge were concentrated in one point on equator and the Sun were just in 60 highest point above equator. In reality we should integrate over the bulge because some its parts are closer to the axis of rotation and to center over the Earth's rotation 61 because the instant angle of the Sun above equator varies. We would get: 62

 $\overline{M}_{s} = \frac{1}{4} M_{s} \approx 5.7 \text{ x} 10^{21} \text{ N m}$ 64

65

63

The same calculation is for the Moon: 66

67 68

 $M_{\rm m} = 2 \times \frac{2Gm_{bulge}m_m}{r_m^3} R_e \cos \iota R_e \sin \iota ,$ (2)

where ι is the Moon's declination. The result is $\overline{M}_{m} = \frac{1}{4} M_{m} \approx 1.2 \times 10^{22} N m$. The 69

70

torques simply summarize $\overline{M} = \overline{M}_{s} + \overline{M}_{m} = 1.8 \times 10^{22} \text{ N m.}$ This important result calculates that the torque $1.8 \times 10^{22} \text{ N m}$ is able to move the 71 plate. The seismic moment of the Sumatra earthquake is 3.5×10^{22} N m (Varga and 72 Denis 2010; Lay et al 2005; Stein and Okal, 2005). Because the torque exerted by 73 tidal force acting on Earth's flattening represents the kinetic energy and also the 74 75 seismic moment represents energy according to definition $M_0 = \mu AD$, where μ is the shear modulus N/m², D is displacement on area A, this quantity of N m dimension 76 77 represents also energy, both quantities can be compared.

78

79 The tidal fiction decelerates the Earth's rotation (Lambeck, 1977) and therefore it can be also considered as the force causing the westward movement of plates 80 (Ostřihanský 2012a, 2012b, 2012c). The torque exerted by the tidal friction is relative 81 low 10¹⁶ N m. (Burša 1987a) and considering the mantle viscosity only 2 orders of 82 83 magnitude lower than the lithosphere (Cathles 1975), this force is considered as 84 insufficient for the plate movement. 85

2. The torgues of tidal friction were calculated by Burša (1987a), (1987b) on the 86 basis of angular momentum balance in the Earth – Moon – Sun system. 87
$$\begin{split} N_m &= 4.2 \times 10^{35} \text{ kg m}^2 \text{ cy}^{-2} = 4.2 \times 10^{16} \text{ kg m}^2 \text{ s}^{-2} = 4.2 \times 10^{16} \text{ Nm} \\ N_s &= 8.9 \times 10^{34} \text{ kg m}^2 \text{ cy}^{-2} = 8.9 \times 10^{15} \text{ kg m}^2 \text{ s}^{-2} = 8.9 \times 10^{15} \text{ Nm} \end{split}$$
88 89 The ratio of tidal torgues of Moon and Sun therefore is 90 91 $N_{m}/N_{s} = 4.7$

- According to Jeffreys this ratio is 4.9 (Jeffreys 1975). The Sun's share in tidal friction is only 21%.
- 94

95 Mutual position of tidal forces

96

Now, it is necessary to realize when and why these forces act: To drive plates, plates
should be released and this release is manifested by dropping down by gravity to
mantle. Because at present time subduction zones were created only on the northern

- 100 part of lithospheric plates, plates move northward. But tidal friction drives plates
- 101 westward, supposing of course that they have subduction zone on their western side.
- 102

Complicated situations are created not only in Sun and Moon action in different
 mutual hour angles, but also in their action during diurnal cycle in New or Full Moons
 (Table).

- 106
- 107
- 108
- 109
- 110

	Phase	Moon	0 h	12.4 h
		Declination	• •	12.1
Summer	Full	+	+M -S _c	-M _c +S
S>0	Moon New Moon	-	$-M - S_c$	$+M_c+S$
		+	+M +S	$-M_c-S_c$
		-	-M +S	$+M_c-S_c$
Winter	Full	+	$+M+S_{c}$	$-M_c - S$
S<0	Moon	-	$-M + S_c$	$+M_c-S$
	New Moon	+	+M -S	$-M_c+S_c$
		-	-M -S	$+M_c + S_c$
Spring		+	+M	-M
5=0		-	-M	+M
Fall		+	+M	-M
S= 0		-	-M	+M

- 111
- 112

113

114**Table** shows possibilities of earthquakes triggering during Full or New Moon and in summer

and winter time. Example: In winter and in Full Moon the torques of Moon and Sun are added

as shown in rectangle with bold contours. Similar situation is in New Moon, Moon and Sun

117 torques are negative but earthquake triggering occurs for 12.4 hours later. M and S

118 are Moon and Sun torques proportional to Moon and Sun declinations, M_c or S_c are Moon and

119 Sun counterparts. Following figures present explanation.



140Figure 1 shows Full Moon, maximum Moon's declination 27° 21' and the torque acting on141Indian plate directs northward. 12.4 hours later torques direct southward (not marked in142figure) against mid ocean ridge and no earthquakes are triggered. This is the case of Great143Sumatra earthquake 2004. Moon's torque ($F_m = M$) directs northward and also the Sun's144counterpart $S_c = F_s$), as evident in wintertime.145



146 Figure 2. Case of New Moon in winter, when Sun's and Moon's declinations are negative

- 147 (Moon –24.15°), but earthquakes are triggered for 24.4 hours later (marked by red arrow).
- 148 Black arrow direct southward against mid-ocean ridge without any earthquake or the plate 149 movement.
- 149 III 150

151 152

There are questions whether Full or New Moon trigger earthquakes. Statistics of Van der Elst at all. (2016) confirm it, but Hough, (2018) not. Looking at Table, it is evident that not all Full or New Moons have sufficiently strong torques to trigger earthquakes. Probability is about 50 % because in summer and in winter there are only two possibilities of summarizing Moon and Sun torques (in bold contours), remaining possibilities Moon and Sun torques subtract.

159

Tidal friction acts on plates semi-diurnally and westerly with very weak torque 10¹⁶ 160 Nm as calculated. This can be considered as permanent action (similar as pressure 161 of hand on drilling hammer) but drilling itself is performed by far stronger variations 162 (electric or pneumatic device), in our case north-south tidal variations 10²² Nm. Load 163 164 situated on inclined level surface, kept by friction but introduced into movement by 165 strong variations, is a very good example of it. However lithospheric plate can move only if its front part is released by dropping down by gravity in subduction zone. 166 Hawaii-Emperor Seamount chain has changed its direction owing to the change of 167 position of subduction zone. All these examples are documented in author's paper 168 169 (Ostřihanský 2015).

170

171 Consequent earthquake tidal triggering

172

173 To elucidate tidal action on earthquake triggering, let us consider three dominant

faults on the Earth: Matawai Fault on Sumatra, Palu-Koro Fult on Sulawesi and San

175 Andreas Fault in California (Fig. 3).

176



177

Figure 3. LOD graph and earthquakes during half-year from 1.IX.2004 to 31.V.2005. LOD
maximums show dominantly Moon's 0° declinations, LOD minimums alternatingly positive
and negative Moon's declinations. As evident, the reason for triggering of these three
earthquakes was the Moon's high declination during the 18.6 years Moon's nutation cycle.

182

183 Great Sumatra earthquake is situated exactly in LOD minimum corresponding to extreme positive Moon's declination 27.9° and negative Sun's declination close to 184 185 winter solstice -23°, forming the Full Moon configuration of maximum tidal torque. 186 New Moon coincides with next LOD minimum 13.7 days later with Moon's negative -187 27.9° declination and almost unchanged Sun's negative declination (Fig 2) with maximum tidal torgue at 12.4 hours later (the last bold contours rectangle of winter, 188 189 (Table). The next LOD minimum is 23.1.2005 with 26.0° Moon's declination and the 190 Full Moon in close position 25.1.2005. However the maximum earthquake does not 191 correspond to LOD minimum, but is shifted for three days on position 27, and 28, I. 2005. The explanation is difficult; it is evident that only the third diurnal stroke 192 193 triggered the earthquake. 194 Transferring our attention to the Palu-Koro Fault, it is evident (Fig.3) the earthquake 195 23.I.2005 corresponds to LOD minimum exactly, situated in 2000 km distance from

Mentawai Fault in Sumatra. Whereas expressive LOD minimums on Sumatra and
 Sulawesi are empty of earthquakes (Fig. 3 left), the LOD minimum 8.IX.2004 on San

Andreas Fault has earthquakes with aftershocks. Moon has maximum positive

declination 27.8°. Low Sun's declination 5.4° in close position to autumn equinox and

200 Moon in last quarter minimizes any influence of Sun.

- 202 Maximum westward tidal drags occur in Moon and Sun position on equator at 0° declination, i.e. in LOD maximums. Earthquakes increment occurred in San Andreas 203 Fault 29.IX.2004 coinciding exactly with LOD maximum 29.IX.2004 (Fig. 3) with 204 205 Moon's declination 6.4° and Sun's declination -2.6°. Next earthquake increment 206 occurred in LOD minimum 5.X.2004 with declination 28.0°, corresponding to tidal 207 north-south variation and further earthquake increment occurred till the end of 208 December. The westward movement of the American plate is confirmed by 209 earthquake one day before 28.IX.2004 at depth only 7.9 km, whereas earthquakes on Fig. 3 of San Andreas Fault occur in average depth 30 km. The next LOD 210 maximum occurred 3.1.2005, but earthquake increment occurred for 2 days later 211 212 5.1.2005. 213 These earthquake-triggering delays are very common in LOD maximums and 214 detailed investigation of earthquake Sumatra M 8.6 28.III.2005 shows the tidal origin 215 of these earthquakes. 216 In this example the mechanism of tidal earthquakes triggering is well evident. North-south movement along Mentawai Fault and the great drop along subduction 217 zone with tsunami manifest the Grear Sumatra earthquake M 9.1 26.XII.2004. For 218 219 three months later the released Indian plate moved westward overriding subduction 220 zone but without tsunami. It is difficult to explain why the Sumatran earthquake of New Moon 10.I.2005 was 221 222 triggered exactly in LOD minimum and minimum declination -27.9° but earthquake in 223 San Andreas Fault 11.I.2008 at 4 days delay as Fig. 4 depicts. In San Andreas Fault 224 case in New Moon configuration conditions existed in disturbed area of extreme 225 earthquake 26.XI.2004 of 9.1 magnitude. Before earthquake 11.I.2008 long quiet
- 225 period existed and the earthquake was triggered only after the fourth diurnal stroke.



228 Figure 4 shows that coincidence of syzygies (Full or New Moon) with earthquakes are more

- likely extraordinary, as shows this shorter time span from IX. 2007 to XII. 2009. Only New
- 230 Moon 11.I.2008 correlates with earthquake but with 3 days delay. More likely earthquakes
- correlate with LOD extremes, i.e. Moon's extreme declinations. However Van der Elst et al.

232 (2016) proved correlation with szyzgies for time span 2008 – 2015. Earthquakes positions are 233 taken from 15 years Catalogue of Shelly (2017).

234

235 Figure 4 shows 57 syzygies and about 6 earthquake increments to 800

236 earthquakes/day. Only New Moon 11.I.2008 correlate with earthquakes increment

237 with negative Moon and Sun declination according last row in Table for winter S<0.

238



239

240

241 Figure 5. In contrast to New Moon earthquakes of Sumatra and San Andreas Fault triggered in winter time with negative declinations -27.9° and -27.5° (Figs. 3 and 4), the New Moon 242 earthquake M 7.5 12.VI. 2010 has positive declination 25.0°, fully in agreement with Table 243 244 for earthquakes in summer time because this earthquake was triggered 7 days before summer 245 solstice. Spring earthquake M 7.6 6.IV.2010 in last quarter has declination -25.2° and was 246 triggered 12.4 hours later according Table +M. Triangles mark earthquake over M 5.5.

247

248 Fig. 5 shows earthquake triggering during New Moon and Full Moon, where 249 cooperation of Sun's torque is evident. In Moon's last guarter the Sun's torque is 250 minimized also owing to minimum Sun's declination in vernal equinox, but Moon's 251 torque itself is able to trigger earthquake.

252

253 Conclusion

254 Earthquakes are triggered during Full or New Moon owing to summarizing action of Moon and Sun torgues but relatively scarcely. Mostly, Moon and Sun's torgues are 255 256 subtracted, what decreases probability of earthquakes triggering. Low declinations 257 and from it Moon and Sun low torgues also decreases probability of earthquakes triggering. However high tidal torque of Moon, without support of Sun, very often 258

259 triggers earthquakes. Earthquakes are often triggered by tidal friction, which is 260

261 friction occurs before or after Full or New Moon, under such conditions, earthquake occur minimally often without any earthquakes. : 262 Main factor influencing the Earth's behavior is the Earth's rotation axis inclination to 263 the plane of Earth's orbit (obliquity) ±23.5° and also Earth's axis inclination to Moon's 264 plane of orbit varying from $\pm 28^{\circ}36'$ to $\pm 18^{\circ}20'$. These values (declinations), inserted 265 266 to formulas (1) and (2) give torgues sufficient to move lithospheric plates and by their 267 movement they trigger earthquakes. Let us mention that that Earth's axis is very stable by presence of Moon, as (Laskar et al. 1993) have shown, Moon's variation 268 269 (nodal cycle) can predict earthquakes (Ostřihanský 2016a,b,c, 2017a), Earth's axis wobble the Milankovich cycles (Milankovich 1941) and of course the Earth's axis tilt 270 271 creates year's seasons. 272 . Considering equilibrium tides, originally developed by Darwin (1879), it assumes 273 that the gravitational potential of the tide raiser can be expressed as the sum of 274 Legendre polynomials P₁, and the shape of a body can be well-represented by a 275 superposition of surface waves with different frequencies and amplitudes. 276 Calculations show semidiurnal uplift of Earth's surface ≈20 cm and related statistics present insignificant results of earthquake triggering with semidiurnal period, (Vidale 277 et al., 1998). Statistics are also disturbed by earthquake delay for several days (in 278 Fig. 4 for 3 days) and cumulative action of tidal friction and north-south tidal torque 279 280 plus earthquake aftershocks stay earthquakes to unpredictable position. 281 282 Acknowledgments 283 284 Length of day variations are taken from IERS (Earth rotation service) 285 http://hpiers.obspm.fr/eop-pc/ Moon and Sun declinations from Sun & Moon position Calculator on Internet, Moon phases from Internet. Earthquakes data for 286 287 Sumatra and Sulawesi are taken from ANSS Catalog and EMSC Catalog. For 288 California A 15 year catalog of more than 1 million low-frequency earthquakes was 289 taken. 290 291 292 293 References: 294 295 Brož, M., Solc, M. and Durech, J. (2011). Physics of small bodies of solar system, Charles 296 University, Chair of Astronomy, Prague, 297 sirrah.troja.mff.cuni.cz/~mira/fyzika malych teles/, Burša M. (1987a). Secular tidal and non-tidal variations in the Earths rotation. Studia geoph. 298 299 et geodet. **31**, 219–224. 300 Burša M. (1987b). Secular deceleration of the Moon and of the Earth's rotation in the zonal 301 geopotential harmonics. Bul. Astron Ins. Czechosl, 38(5), 309-313. 302 Cathles, L. M. (1975). The viscosity of the Earth's mantle, Princeton Press, Princeton, NJ,. 303 Chen, H.-J., Chen, C.-Y., Tseng, J.-H., Wang, J.-H. (2012a). Effect of tidal triggering on 304 seismicity in Taiwan revealed by the empirical mode decomposition method. Natural Hazards and Earth System Sciences 12, 2193-2202,. 305 306 Chen, L., Chen, J. G., & Xu, Q. H. (). (2012b). Correlation between solid tides and worldwide earthquakes M C 7 since 1900. Natural Hazards and Earth System Sciences, 12, 587-307 308 59. 309 Cochran, E. S., Vidale, J. E., & Tanaka, S. (2004). Earth tide can trigger shallow thrust 310 fault earthquakes. Science, 306, 1164–1166.

- Darwin, G. H. (1879). Philosophical Transactions of the Royal Society, **170**, 447, repr.
 Scientific Papers, Cambridge, Vol. II, 1908 [NASA
 <u>ADS</u>] [CrossRef] [Google Scholar],.
 Emter, D. (1997).Tidal triggering of earthquakes and volcanic events, in *Tidal Phenomena*, Lect. Notes Earth Sci., vol. **66**, edited by H. Wilhelm et al., pp. 293-
- 315 *Phenomena*, Lect. Notes Earth Sci., vol. **66**, edited by H. Wilhelm et al., pp. 293–309,
 316 Springer, New York, doi:<u>10.1007/BFb0011468</u>.
- Heaton, T. H. (1982). Tidal triggering of earthquakes. Bull. Seismol. Soc. Am. 72 (6), 2181–
 2200.
- Hough, S. E. (2018). Do Large (Magnitude ≥8) Global Earthquakes Occur on Preferred
 Days of the Calendar Year or Lunar Cycle? Seismol. Res. Lett. January 17,
 Vol.89, 577-581. doi:https://doi.org/10.1785/0220170154,
- 322 Jeffreys H. (1975). Tidal friction, Q J R Soc 16, 145-151.
- Lambeck, K. (1977). Tidal dissipation in the oceans: astronomical, geophysical and
 oceanographic consequences Royal Society of London Philosophical Transactions Series A,
 287, 545.
- Laskar, J., Joutel F and Robutel, P. (1993). Stabilization of the Earth's obliquity by the
 Moon. Nature, 361, 615 [NASA ADS] [CrossRef] [Google Scholar]
- Lay, T., H. Kanamori, C. J. Ammon, M. Nettles, S. N. Ward, R. C. Aster, S. L. Beck, S. L.
 Bilek, M. R. Brudzinski, R. Butler, H. R. Deshon, G. Ekstrom, K. Satake, and Sipkin,
 S. (2005) The great Sumatra-Andaman earthquake of 26 December 2004, Science,
 308, 1127–1132.
- Métivier, L., de Viron, O., Conrad, C. P., Renault, S., Diament, M., & Patau, G. (2009).
 Evidence of earthquake triggering by the solid earth tides. Earth Pl. Sci. Lett. 278, 370–37,.
- Milanković, M. (1941). Kanon der Erdbestrahlung und seine Anwendung auf das
 Eiszeitenproblem., Königliche Serbische Akademie, XX, 633.
- Ostřihanský, L. (2012a). Length of a day and the Chile and Haiti earthquakes of 2010 tidal
 friction and Chandler wobble as triggering agents. EGU General Assembly, Vienna
- Ostřihanský, L. (2012b). Earth's rotation variations and earthquakes of 2010-2011, Solid
 Earth Discuss., 4, 33-130, doi.org/10.5194/sed-4-33-2012,.
- 341 Ostřihanský, L. (2012c). Causes of earthquakes and lithospheric plates movement, Solid Earth
 342 Discuss., 4, 1411–1483, doi:10.5194/sed-4-1411-2012.
- Ostřihanský, L. (2015). Tides as drivers of plates and criticism of mantle convection, Acta
 Geod. Geophys, **50** (3), 271-293, doi: <u>10.1007/s40328-014-0080-6</u>.
- Ostřihanský, L. (2016a). The correct mechanism of lithospheric plates movement, Poster at
 Session: Plate motion, Continental Deformation and Intraseismic Strain Accumulation,
 AGU Fall Meeting 2016, San Francisco 12-16 December 2016.
- Ostřihanský, L. (2016b). Verification of tidal earthquake triggering in Central Italy, Poster at
 Session: The 24 August 2016 Earthquake, AGU Fall Meeting 2016, San Francisco 1219 December 2016.
- Ostřihanský, L. (2016c). <u>The next strong earthquake in Central Italy will be in autumn 2034</u>,
 Available on ResearchGate.
- Ostřihanský, L. (2017a). The next strong earthquake in South-Central Alaska will be in 2021,
 Project Earthquake prediction. June 2017, doi: <u>10.13140/RG.2.2.18897.94569</u>.
- Ostřihanský, L. (2017b). Fortnightly dependence of San Andreas tremor and low frequency
 earthquakes on astronomical parameters, Available on ResearchGate,.
- Ostřihanský, L. (2019). Tides as triggers of earthquakes in Sulawesi (Completed). Available
 on ResearchGate.
- 359 Schuster, A. (1897). On lunar and solar periodicities of earthquakes, *Proc. R. Soc.* 360 London, 61, 455–465, doi:<u>10.1098/rspl.1897.0060</u>.

361	Shelly, D. R. (2017). A 15 year catalog of more than 1 million low-frequency earthquakes:
362	Tracking tremor and slip along the deep San Andreas Fault. US Geol Survey DOI:
363	10.1002/2017JB014047, 2017.
364	Stacey, F.D. (1977). Physics of the Earth, John Willey & Sons, 2 Edn.
365	Stein, R. S. (2004). Tidal triggering caught in the act. Science, 305 (5688), 1248–1249. doi:
366	10.1126/sciencee.1100726,.
367	Stein, S. and Okal, E. A. (2005). Size and speed of the Sumatra earthquake, Nature 434, 581-
368	582.
369	Tanaka, S. (2010). Tidal triggering of earthquakes precursory to the recent Sumatra
370	megathrust earthquakes of 26 December 2004 (Mw 9.0), 28 March 2005 (Mw 8.6),
371	and 12 September 2007 (Mw 8.5). Geophys. Res. Lett. 37, L02301. doi: 10.1029/
372	2009GL041581.
373	Tanaka, S. (2012). Tidal triggering of earthquake prior to the 2011 Tohoku-Oki
374	artquake(MW9.1). Geophys. Res. Lett. 39 , L00G26. doi: 10.1029/2012GL051179.
375	Tormann, T., Enescu, B., Woessner, J., and Wiemer, S. (2015). Randomness of megathrust
376	earthquakes implied by rapid stress recovery after the Japan earthquake. Nature
377	Geoscience, 8 (2), 152–158.
378	Van der Elst, N.J., Delorey, A.A., Shelly, D.R., Johnson, P.A. (2016). Fortnightly modulation
379	of San Andreas tremor and low-frequency earthquakes. PNAS 113 (31), 8601-8605.
380	Varga, P and Denis, C. (2010). Geodetic aspect of seismological phenomena, Journal of
381	Geodesy. 84 107-121, doi org/10 1007/s00190-009-0350-1
382	Varga P and Grafarend E (2017) Influence of Tidal Forces on the Triggering of Seismic
383	Event Pure Appl Geophys 175 1649-1657 doi org/10 1007/s00024-017-1563-5
384	Vidale I E Agnew D C Johnston M I S and Oppenheimer D H (1998) Absence of
385	earthquake correlation with Farth tides: An indication of high preseismic fault stress
386	rate I Geophys Res B Solid Earth 103 24567–24572
387	Young D and Zürn W (1997) Tidal triggering of earthquakes in the Swabian Jura? I
388	Geophys 45 171–182
389	
390	
391	
392	
393	
394	
395	
396	
397	
398	
399	
400	
100	•
401	
402	3
403	
404	
405	
406	
407	