

Dependence of precipitation on precipitable water vapor over the Maritime Continent and implications to the Madden-Julian Oscillation

Siyue Chen^{1,1}, Nathanael Z. Wong^{2,2}, Ding Ma^{3,3}, Pak Wah Chan^{2,2}, and Zhiming Kuang^{2,2}

¹Peking University

²Harvard University

³Columbia University

November 30, 2022

Abstract

The weakening of the Madden-Julian Oscillation (MJO) as it propagates over the Maritime Continent (MC) is often referred to as the MC barrier. Here, we use 3-hourly precipitable water vapor (PWV) data obtained from the Sumatran GPS Array and the ERA5 reanalysis to investigate the role played by the column moisture over the MC. Over Sumatra and the whole MC, we find a stronger dependence of precipitation on PWV over the ocean as compared to both inland and coastal regions. The MJO modulates the PWV over the ocean and over the MC by roughly the same amount, and the weaker precipitation variations over the MC between the MJO phases may be interpreted in terms of its weaker dependence on PWV over the MC. This different precipitation dependence on column moisture between the MC and the ocean may contribute to the MC barrier effect.



Geophysical Research Letters

Supporting Information for

Dependence of precipitation on precipitable water vapor over the Maritime Continent and implications to the Madden-Julian Oscillation

Siyue Chen^{1,2}, Nathanael Z. Wong², Ding Ma², Pak Wah Chan²⁺, Zhiming Kuang^{2,3}

¹Department of Atmospheric and Oceanic Sciences, School of Physics, Peking University, Beijing, China.

²Department of Earth and Planetary Sciences, Harvard University, Cambridge, MA, USA.

³John A. Paulson School of Engineering and Applied Sciences, Harvard University, Cambridge, MA, USA.

+Now at College of Engineering, Mathematics and Physical Sciences, University of Exeter, Exeter, UK.

Contents of this file

Figures S1 to S7




Figure S1. 2D histograms of ERA5 reanalysis PWV data with (a) COSMIC1 and (b) COSMIC2.




Figure S2. The diurnal cycle of precipitable water vapor during MJO phases 1-8 in 2008–2013, over SuGAR coastal stations used in this work (green) and the 4 coastal stations used in Fig. 5 in Fujita et al. (2011) (black).




Figure S3. The diurnal cycle of precipitable water vapor over SuGAR stations (2008-2013) during MJO phases 1-8 (color), for (a) coast and land stations, and (b) ocean stations.




Figure S4. The diurnal cycle of precipitation rate over SuGAR stations (2008-2013) during MJO phases 1-8 (color), for (a) coast and land stations, and (b) ocean stations.




Figure S5. The diurnal cycle of precipitable water vapor over the Maritime Continent during MJO phases 1-8.




Figure S6. The diurnal cycle of rain rate over the Maritime Continent during MJO phases 1-8.




Figure S7. The probability density function (PDF) of PWV over the Maritime Continent during (a) active MJO phases and (b) suppressed MJO phases.

**Dependence of precipitation on precipitable water vapor over the Maritime
Continent and implications to the Madden-Julian Oscillation**

Siyue Chen^{1,2}, Nathanael Z. Wong², Ding Ma², Pak Wah Chan^{2†}, Zhiming Kuang^{2,3}

¹Department of Atmospheric and Oceanic Sciences, School of Physics, Peking University,
Beijing, China.

²Department of Earth and Planetary Sciences, Harvard University, Cambridge, MA, USA.

³John A. Paulson School of Engineering and Applied Sciences, Harvard University, Cambridge,
MA, USA.

[†]Now at College of Engineering, Mathematics and Physical Sciences, University of Exeter,
Exeter, UK.

Corresponding author: Siyue Chen (siyue_chen@fas.harvard.edu)

Key Points:

- The dependence of precipitation on precipitable water vapor is stronger over ocean than over the Maritime Continent.
- The MJO modulates the precipitable water vapor over the ocean and over the Maritime Continent by roughly the same amount.
- Weaker precipitation variations over the Maritime Continent between the MJO phases may be explained by the weaker water vapor dependence.

Abstract

The weakening of the Madden-Julian Oscillation (MJO) as it propagates over the Maritime Continent (MC) is often referred to as the MC barrier. Here, we use 3-hourly precipitable water vapor (PWV) data obtained from the Sumatran GPS Array and the ERA5 reanalysis to investigate the role played by the column moisture over the MC. Over Sumatra and the whole MC, we find a stronger dependence of precipitation on PWV over the ocean as compared to both inland and coastal regions. The MJO modulates the PWV over the ocean and over the MC by roughly the same amount, and the weaker precipitation variations over the MC between the MJO phases may be interpreted in terms of its weaker dependence on PWV over the MC. This different precipitation dependence on column moisture between the MC and the ocean may contribute to the MC barrier effect.

Plain Language Summary

The Madden-Julian Oscillation (MJO) is the dominant intraseasonal variability in the tropical atmosphere, and also influences the global climate and weather, including the El Niño-Southern Oscillation and the North Atlantic Oscillation. However, the reason behind why the MJO weakens or terminates as it propagates over the Maritime Continent remains unclear. Based on the idea that the rainfall is highly sensitive to the water vapor in the troposphere, we examine observations and reanalysis data. We find a weaker dependence of rainfall on column water vapor over the Maritime Continent than over the oceans, which may provide a simple interpretation of the smaller changes of rainfall over land associated with the MJO.

1 Introduction

The Madden-Julian Oscillation (MJO) is the dominant component of the intraseasonal (30–90 days) variability in the tropical atmosphere (Madden & Julian, 1971, 1972). In a typical MJO event, a convectively active envelope of precipitation develops over the western Indian Ocean and slowly propagates eastward along equator to the Pacific Ocean. Over the past decades, there have been extensive studies into both the mechanisms of the MJO and its interaction with the extratropical weather, and other large-scale modes of variability [e.g. the Asian monsoon, the El Niño-Southern Oscillation (ENSO), the North Atlantic Oscillation (NAO), etc.] (e.g. Kiladis & Weickmann, 1992; Mo, 2000; Zhang, 2005; Schreck et al., 2013; Zhou et al., 2016; Tippett, 2018; Barrett, 2019; Arcodia et al., 2020).

The Maritime Continent (MC) is a region in the tropics dominated by islands, many of which fall along the path of the MJO (Yamanaka, 2016). The MJO acts to modulate the rainfall and local land-sea circulation over the MC (Tian et al., 2006; Fujita et al., 2011). Recent observational analysis shows that the MC appears to be a barrier to the MJO propagation – some MJO events become weaker over the MC as they propagate into Pacific Ocean, while some terminate over the MC (Rui & Wang, 1990; Zhang & Ling, 2017). Model simulations show relatively low skills in representing this barrier effect (Inness et al., 2003; Seo et al., 2009; Vitart & Molteni, 2010; Weaver et al., 2011; Wang et al., 2019). Rainfall variance associated with the MJO is also markedly lower over the islands compared to their surrounding oceans (Maloney & Sobel, 2004).

Previously proposed mechanisms for this barrier effect involve, for example, local orography and the strong diurnal cycle over land. Maloney & Sobel (2004) attributed the smaller MJO modulation of the rainfall over the islands to the fact that land surfaces have lower sensible

and latent heat capacity compared to the ocean. Inness & Slingo (2006) and Wu & Hsu (2009) suggested that the elevated orography over the islands could act to block the propagation of low-level pressure and wind signal, which may disrupt the MJO propagation. Previous studies have also attributed the weakening of the MJO over the MC to the strong diurnal cycle over land and related phenomena (Neale & Slingo, 2003; Rauniyar & Walsh, 2011; Hagos et al., 2016; Majda & Yang, 2016). For example, the strong diurnal cycle of convection over islands increases the cloud cover and decreases surface insolation, which results in the lower precipitation rate over land in the MC (Rauniyar & Walsh, 2011). After removing the diurnal cycle of the incoming shortwave radiation at the top of the atmosphere, it was found through numerical simulations of a MJO event that the MJO could propagate more smoothly through the MC (Hagos et al., 2016).

Our work is motivated by the possibility of interpreting this barrier effect of the MC in the “moisture mode” framework for the MJO (e.g. Raymond, 2001; Andersen & Kuang, 2012; Sobel & Maloney, 2012, 2013; Adames & Kim, 2016). Recognizing the long timescale associated with the MJO compared to that of convectively coupled equatorial waves, the moisture mode framework of the MJO takes the column integrated moisture, instead of temperature or buoyancy, as the central component, and focuses on the processes that modify the column integrated moisture when considering the generation and propagation of the MJO. In terms of the generation, the moisture mode framework postulates that the MJO arises from a positive feedback in which an anomalously moist atmospheric column precipitates more, and the combined effect of anomalous radiative and surface fluxes and anomalous advection due to the resulting circulation further leads to an even moister column, resulting in a positive feedback loop. For a recent review on the moisture mode framework, see Adames & Maloney (2021).

In our paper, we emphasize the first half of the aforementioned feedback loop, namely that an anomalously moist atmospheric column precipitates more. Based on the daily rainfall and PWV derived from microwave measurements, Bretherton et al. (2004) showed an exponential relationship between rainfall and PWV over different tropical ocean areas. While the direction of causation in this relationship is not unambiguous *a priori*, this exponential relationship could be plausibly interpreted in terms of the moisture-convection feedbacks, in which the moister environment reduces the entrainment drying of updrafts and/or precipitation re-evaporation, and thus favors deep convection (Holloway & Neelin, 2009). The gradient of the precipitation-precipitable water curve has also been interpreted as the inverse of a moisture adjustment timescale (Bretherton et al., 2004; Adames, 2017). Based on GCM simulations, Hannah & Maloney (2011) found that both increasing the minimum entrainment parameter and increasing the rain evaporation fraction in the convective parameterization make the dependence of rainfall on column saturation fraction more nonlinear and more consistent with the observed relationship. These arguments taken together may be viewed as an empirical (and partial) support for the “moisture mode” framework. And within this framework, if the dependence of precipitation on PWV is weaker over the MC, e.g., due to a strong diurnal cycle, this weaker dependence may lead to a weaker “moisture mode” and contribute to the barrier effect.

It has been previously established with Tropical Rainfall Measuring Mission (TRMM) rainfall measurements that modulation of rainfall by the MJO is weaker over the MC compared to that over the surrounding oceans (Maloney & Sobel, 2004; Sakaeda et al., 2017). PWV over the MC is not available from the microwave measurements used in Bretherton et al. (2004) owing to the complications associated with land-surface emissivity. Roundy & Frank (2004) used data from the NASA Water Vapor Project (NVAP), but the data may be problematic over

the MC (Torri et al., 2019). Bergemann & Jakob (2016) used the ERA-Interim data from 1998 to 2015 to study the rainfall-PWV relationship and found that coastally influence rainfall has a weaker dependence on mid-troposphere humidity than that over the open ocean. However, the accuracy of the ERA-Interim water vapor data over the Maritime Continent has not been well established, and over a substantial portion of the dataset time period, all-weather data such as that from GPS Radio Occultation was not available for assimilation. Torri et al. (2019) used data from the Sumatran GPS Array (SuGAR), a network of ground GPS stations in Sumatra established for geodesic studies (Feng et al., 2015), and found that the MJO modulates the diurnally averaged PWV over the archipelago and coastal stations by similar amounts (Fig. 12 in Torri et al. (2019)). If we take the coastal stations to be more land-like than the archipelago stations, these results imply a weaker dependence of rainfall on PWV over the different MJO phases over Sumatra.

In our work, we extend the work by Torri et al. (2019) in two ways. We first examine the dependence of rainfall on PWV more generally in a manner following the approach of Bretherton et al. (2004). Second, in addition to Sumatra, we extend the analysis to the entire MC region using ERA5 reanalysis data (Hersbach et al., 2020), which assimilates GPS radio occultation (RO) data. The GPS RO data show a good agreement with collocated ground-based GPS measurements in Torri et al. (2019)'s Fig.5. This work also revisits Bergemann & Jakob (2016) and Ahmed & Schumacher (2017) using the SuGAR dataset and the new ERA5 data. The comparison between reanalysis PWV and co-located SuGAR data (Figure 1bc) shows that ERA5 has improved quality compared to ERA-Interim used in the previous work. Also, we divided the Maritime Continent into 4 geographic categories in order to investigate the change in rain-PWV relationship over different regions in more detail, while the MC is regarded as a whole in Ahmed & Schumacher (2017).

In section 2, we will introduce the datasets and methods. In subsections 3.1 and 3.2, we will present the results of the diurnal cycle of rainfall and PWV and relationship between rainfall and PWV. In subsection 3.3, we will investigate how the MJO modulates the PWV and rainfall over MC, and their linkage. In section 4, we will summarize the results and interpret the MC barrier effect using our findings.

2 Data and Methods

In this work, PWV is estimated using ground-based GPS-derived network data over Sumatra and ERA5 reanalysis over the Maritime Continent. We also use the Global precipitation measurement (GPM) rainfall data.

2.1 PWV data from Sumatra GPS Array station (SuGAR)

GPS relies on the transmission of radio wave signals from satellite to receiver in order to obtain precise positions. When these signals travel through the atmosphere, two potential sources of error arise due to refraction of the radio waves – the ionospheric delay, and the tropospheric delay. The delay due to the tropospheric component (tropospheric path delay) in the neutral atmosphere (troposphere and stratosphere) can be further divided into the hydrostatic delay and the wet delay, the latter of which, when mapped to the zenith angle, can be used to obtain precipitable water data (Askne & Nordius, 1987). The relative insensitivity of L-band radio signals to cloud and droplet makes the GPS-PWV product available in all weather conditions. In our study, as in Torri et al. (2019), we use data from 45 GPS stations over Sumatra during the

period of 2008-2013 (Feng et al., 2015). We divide the stations into three categories: the small islands west of Sumatra (ocean), the coast along Sumatra (coast), and inland (land) as shown in Fig. 1a.

2.2 PWV data over the MC from ERA5 reanalysis

As for the PWV data over the broader Maritime Continent (10°S-10°N, 90°E-150°E), we utilize ERA5, the latest global atmospheric reanalysis dataset released by the European Centre for Medium-range Weather Forecasts. The Constellation Observing System for Meteorology, Ionosphere, and Climate Version 1&2 (COSMIC1&2) radio occultation measurements, which can provide information on temperature and humidity based on the signal refraction, were assimilated into ERA5 since 2006 and 2020, respectively. The ERA5 reanalysis PWV data compare well with COSMIC1&2 over the Maritime Continent (Fig. S1) and provide a better temporal and spatial coverage. Therefore, we use ERA5 PWV data whose time resolution is 1 hour, and spatial resolution is 0.25°, over the Maritime Continent during 2005-2016. Based on ERA5 land fraction data, we divide the Maritime Continent area into ocean (land fraction<0.1), coast (0.1<land fraction<0.8) and land (land fraction>0.8) grids, which is similar to the three categories of SuGAR stations. As PWV is the integral of column of water vapor above the ground, a higher elevation means a shorter integration path and a naturally lower PWV value. Therefore, we exclude grids where the elevation is higher than 150 meters from the three categories above and reclassify them as mountainous regions, so that regions remain classified as “land” and “coast” can better compare with the “ocean”.

2.3 Rainfall data from Global Precipitation Measurement

The Global Precipitation Measurement (GPM) is the successor to TRMM. It has two advanced instruments, Dual-frequency Precipitation Radar and a radiometer called GPM Microwave Imager, which allows GPM to measure precipitation intensity and type through all cloud layers using a wider data swath (Skofronick-Jackson et al., 2018). The Integrated Multi-Satellite Retrievals for GPM (IMERGv6) we use here, is the Level 3 precipitation estimation product of GPM, which intercalibrate, merge, and interpolate satellite microwave precipitation estimates with microwave calibrated infrared (IR) satellite estimates, precipitation gauge analyses at high spatio-temporal resolution of 30 minutes and 0.1°. In order to do a comparison with the PWV data, we average the higher-resolution GPM 0.1° by 0.1° data to a coarser 0.25° by 0.25° grid exported by the ERA5 reanalysis.

2.4 RMM MJO index

Wheeler and Hendon (2004) developed the Real-time Multivariate MJO (RMM) index to compute the state of the MJO using latitudinal averages of outgoing longwave radiation and zonal wind at 200 and 850 hPa in the tropics. This index has become the standard method used to describe the approximate center and phase of the MJO as it propagates along the equator. Based on the rainfall (Fig. S6), we assign RMM MJO phases 2, 3, 4, 5 as active MJO phases and phases 1, 6, 7, 8 as suppressed phases over the MC.




Figure 1. (a) The GPS stations are divided into three categories: ocean (blue), coast (green), land (red). The shading shows the orography. The comparison of PWV (b) between ERA5 and SuGAR and (c) between ERA-Interim and SuGAR.

3 Results

3.1 Modulations of the diurnal cycle of PWV and rainfall by the MJO

Previous studies suggest that the diurnal cycle of precipitation and related sub-MJO-scale features compete with the MJO for moist static energy, which may explain the MC barrier effect (Neale & Slingo, 2003; Sakaeda et al., 2017; Ling et al., 2019). Here we extend the diurnal cycle of PWV over Sumatra investigated by Torri et al. (2019) to the whole Maritime Continent and also include the diurnal cycle of rainfall at different MJO phases. First we examine the diurnal cycle of PWV over Sumatra with more coastal ground-based GPS stations compared to Fujita et al. (2011). Figure S2 indicates that the diurnal cycle of PWV in this work has a clear sinusoidal pattern, with a peak at about 19:00 local time, which is different from the midnight peak time over the coastal stations in Fujita et al. (2011). With 6 years of data, the diurnal cycle of PWV over Sumatra in our Figure S3 compares well with Torri et al. (2019)'s Fig. 11, which used 6 months of data to show that when the MJO transitions from suppressed to active phases, PWV increases by roughly the same amount throughout the day across all surface types. The modulation of the rainfall diurnal cycle by the MJO is substantial over both land and ocean, but is stronger over the ocean than over the land (Figure S4). The diurnal cycles of rainfall and PWV over the whole Maritime Continent (Fig. S5&S6) show a similar behavior.

3.2 Relationship between daily PWV and precipitation over the Maritime Continent

In this section, we examine the relationship between the daily averaged PWV and precipitation over land and ocean.

We first examine this relationship using Sumatra GPS data (Figure 2a). Across all surface types (ocean, coast and land), the precipitation rate is on average below 0.5 mm/h when PWV is below 55 mm. Over ocean, the rain-PWV relationship curve sharply increases when PWV is above 55 mm, which is similar to what Bretherton et al. (2004) found over tropical oceans. At the same time, when PWV is higher than 55 mm the precipitation rate over land is lower than over the coast and much lower than over the ocean. The next question is, is Sumatra representative of the broader MC area?

Figure 2b shows the relationship between PWV and rainfall over the MC using 12 years of ERA5 PWV data and GPM IMERG precipitation data. Precipitation rate over the ocean

increases exponentially when PWV is above 55 mm, approaches 2 mm/h when PWV reaches 65 mm, which is similar to the results over Sumatra (Figure 2a). In contrast, the rain-PWV curves over land and coast are less steep than that over ocean. At similar PWV values, the precipitation rate over land is lower than over the ocean, which confirms a weaker rain dependence on PWV over the Maritime Continent.




Figure 2. Relationship between daily rainfall and daily precipitable water vapor over (a) Sumatra and (b) the Maritime Continent, for oceanic areas (blue), coastal areas (green), land areas (red) and mountain areas (black). The shadings show the 95% confidence interval of the mean, estimated by using t-test and dividing the data into 5 groups. Data are not shown above 65 mm for Sumatra (69 mm for the MC) due to limited occurrences of such high PWV values.

3.3 PWV and rainfall modulation by the MJO

Figure 3a shows the difference in the probability distribution functions (PDF) of daily-aggregated PWV between MJO active phases (Fig. S7a) and suppressed phases (Fig. S7b) over the Maritime continent. The difference in probability distribution of PWV shows a dipole pattern, corresponding to the PWV values shift between the different MJO phases. Except for the mountain grids, frequencies of PWV below (above) 57 mm decreased (increased), with a peak frequency decrease (increase) at 53mm (61 mm) with enhanced MJO convection. Note that this shift is remarkably similar over ocean, coast and land, except over mountainous regions, where the spectrum shifts to lower PWV values. Therefore the PWV modulation by the MJO is no weaker over the MC land compared to over the ocean.

Figure 3b shows the difference in the distributions of log precipitation rates between the active and suppressed MJO phases. This difference between the active phase and suppressed phase, is positive (negative) when precipitation rate is higher (lower) than about 0.5 mm/hr over all regions, corresponding to the strong convection during the active phase of the MJO over the MC. In contrast, the change in rainfall rate is larger over the ocean than over both land and coastal regions, which means the MJO modulation of precipitation rate is stronger over the surrounding ocean area than the MC. The frequency of high rainfall rates greater than 1 mm/hr is larger over ocean than land during the active MJO phases.

To summarize, the MJO has similar influences on PWV for different surface types, but has a weaker effect on the precipitation rate over land as compared to over the surrounding ocean area. This contrast between land and ocean, which is consistent with the weaker convection modulation over land found by Zhang & Ling (2017) and others, may be interpreted in terms of the difference in the sensitivity of rainfall on PWV between land and ocean.




Figure 3. Difference of the distributions of (a) precipitable water vapor and (b) log rainfall rate during the MJO active phases relative to the suppressed phases for ocean grids (blue), coast grids (green), land grids (red) and mountain grids (black) over the MC. Bin size is 1mm for PWV and 0.217 in $\log_{10}(\text{precipitation rate})$ scale, respectively. The shadings show the 95% confidence interval of the mean, estimated by using t-test and dividing the data into 5 groups.

4. Summary and discussion

This work is inspired by the “moisture mode” framework, in which a prognostic column moisture equation is the key to the MJO dynamics. One of the supporting evidence of the “moisture mode” theory is the observed exponential rain-PWV relationship over the tropical oceans (Bretherton et al., 2004), which shows that precipitation is highly sensitive to column water vapor (or column relative humidity). In this work, we utilized the PWV derived from ground-based GPS stations over Sumatra, which are relatively unaffected by cloudy and rainy conditions or land-surface emissivity, and extend the study to the whole MC with ERA5, which assimilates GPS radio occultation data and shows good agreement with SuGAR.

We find a clear rain-PWV relationship over all surface types (i.e., ocean, land, and coast areas), which is consistent with previous studies. However, the dependence of rainfall on PWV is weaker over land and coast than over ocean. We also find that the MJO enhances the PWV by roughly similar amounts over land and ocean, and suggest that the weaker modulation of rainfall rate by the MJO over land compared to that over ocean may be a consequence of its weaker dependence of rainfall on PWV. This in turn may lead to a weaker “moisture mode” that partially explains the MC’s barrier effect on the MJO. Whether and how a weaker rain-PWV dependence over land is related to its stronger diurnal cycle will be further investigated through numerical simulations in the future.

The rain-PWV dependence is only one aspect of the MJO dynamics within the moisture mode framework. While our results suggest the weaker rain-PWV dependence over land as a potential factor for the general weakening of the MJO over the MC, other reasons as to why some MJO events stall and some propagate through the MC could be differences in the mean state, or just generally the diversity of MJO events as recently highlighted by Wang et al. (2019). Zhang & Ling (2017) found that the land-to-ocean precipitation ratio is higher for the non-MC crossing events and proposed that the competition between land and oceanic convection is key to the varying strengths of the barrier effect. Ahn et al. (2020) produced this association in GCMs, provided the interpretation that the weaker MC land convection results in steepening of the vertical and meridional mean moisture gradient over the MC, and the MSE advection further enhances the MJO eastward propagation. It is however also possible that a higher land-to-ocean rain ratio gives land convection, and its weaker PWV dependence, a greater role in the MJO dynamics, consistent with our hypothesis. Many other aspects can affect the MJO propagation through the MC as well. For example, Kim et al. (2014) suggested that whether MJO convection over the Indian Ocean can cross over the MC is closely associated with the dry anomalies over the eastern MC and west Pacific. The positive moisture meridional advection by the anomalous poleward flow, which is interpreted as part of the Rossby wave response to the dry anomaly, moistens the atmosphere to the east of MJO convection, which helps MJO eastward propagation. More generally, the horizontal moisture advection by MJO anomalous wind acting upon the mean state moisture gradient is argued as key to the MJO propagation, with the MJO detouring to the south of the MC during the boreal winter as a good example (Jiang, 2017; Kim et al., 2017). Our suggestion is compatible with these arguments within the moisture mode framework, as various processes modify the column moisture, leading to the strengthening/weakening or propagation of the column moisture anomaly.

Many recent modeling studies suggest that the moisture–convection feedbacks and the MJO variability can be strengthened in GCMs by increasing the sensitivity of the convective scheme to free tropospheric moisture (Waliser et al., 2009; Zhu et al., 2009; Kim & Kang, 2012), e.g., with the use of a specified convective rain evaporation fraction (Grabowski & Moncrieff, 2004). That modern models tend to exaggerate the barrier effect could therefore be due to poor representations of the mean state moisture (Gonzalez & Jiang, 2017), or overly strong MC land convection (Ahn et al., 2020). Our results suggest that the rain-PWV dependences over land and ocean in the GCMs could be another valuable diagnosis.

Acknowledgments and Data

The study was supported by NOAA Climate Program Office grant NA17OAR4310260. The authors thank two anonymous reviewers for their constructive reviews. Siyue Chen acknowledges Hongqing Wang for his support and some insightful comments on this work. We are grateful to Dr. Emma Hill, the Earth Observatory of Singapore at Nanyang Technological University and the Indonesian Institute of Science (LIPI) for operating the SuGAR network and sharing the ground GPS data. We acknowledge David K. Adams and Giuseppe Torri for producing and deriving SuGAR PWV data. We also acknowledge the NASA, NOAA and ECMWF for producing and making available the data used in this study and the Harvard FAS Science Division Research Computing Group for computing support. The SuGAR PWV data is available on <https://doi.org/10.7910/DVN/J1MKHJ>. The ERA5 data is from <https://www.ecmwf.int/en/forecasts/datasets/reanalysis-datasets/era5>, the GPM data is from

<https://gpm.nasa.gov/taxonomy/term/1417>, and the RMM MJO index is from <https://psl.noaa.gov/mjo/mjoindex/>.

References:

- Adames, Á. F. (2017). Precipitation budget of the Madden-Julian oscillation. *Journal of the Atmospheric Sciences*, 74(6), 1799–1817. <https://doi.org/10.1175/JAS-D-16-0242.1>
- Adames, Á. F., & Kim, D. (2016). The MJO as a dispersive, convectively coupled moisture wave: Theory and observations. *Journal of the Atmospheric Sciences*, 73(3), 913–941. <https://doi.org/10.1175/JAS-D-15-0170.1>
- Adames, Á. F., & Maloney, E. D. (2021). Moisture Mode Theory’s Contribution to Advances in our Understanding of the Madden-Julian Oscillation and Other Tropical Disturbances. *Current Climate Change Reports*, 7(2), 72–85. <https://doi.org/10.1007/s40641-021-00172-4>
- Ahmed, F., & Schumacher, C. (2017). Geographical differences in the tropical precipitation-moisture relationship and rain intensity onset. *Geophysical Research Letters*, 44(2), 1114–1122. <https://doi.org/10.1002/2016GL071980>
- Ahn, M. S., Kim, D., Ham, Y. G., & Park, S. (2020). Role of maritime continent land convection on the mean state and MJO propagation. *Journal of Climate*, 33(5), 1659–1675. <https://doi.org/10.1175/JCLI-D-19-0342.1>
- Andersen, J. A., & Kuang, Z. (2012). Moist static energy budget of MJO-like disturbances in the atmosphere of a zonally symmetric aquaplanet. *Journal of Climate*, 25(8), 2782–2804. <https://doi.org/10.1175/JCLI-D-11-00168.1>
- Arcodia, M. C., Kirtman, B. P., & Siqueira, L. S. P. (2020). How MJO Teleconnections and ENSO Interference Impacts U.S. Precipitation. *Journal of Climate*, 33(11), 4621–4640. <https://doi.org/10.1175/JCLI-D-19-0448.1>
- Askne, J., & Nordius, H. (1987). Estimation of tropospheric delay for microwaves from surface weather data. *Radio Science*, 22(03), 379–386. <https://doi.org/10.1029/RS022i003p00379>
- Barrett, B. S. (2019). Connections between the Madden–Julian Oscillation and surface temperatures in winter 2018 over eastern North America. *Atmospheric Science Letters*, 20(1), 1–8. <https://doi.org/10.1002/asl.869>
- Bergemann, M., & Jakob, C. (2016). How important is tropospheric humidity for coastal rainfall in the tropics ?, (May). <https://doi.org/10.1002/2016GL069255.1>.
- Bretherton, C. S., Peters, M. E., & Back, L. E. (2004). Relationships between water vapor path and precipitation over the tropical oceans. *Journal of Climate*, 17(7), 1517–1528. [https://doi.org/10.1175/1520-0442\(2004\)017<1517:RBWVPA>2.0.CO;2](https://doi.org/10.1175/1520-0442(2004)017<1517:RBWVPA>2.0.CO;2)
- Feng, L., Hill, E. M., Banerjee, P., Hermawan, I., Tsang, L. L. H., Natawidjaja, D. H., et al. (2015). A unified GPS-based earthquake catalog for the Sumatran plate boundary between 2002 and 2013. *Journal of Geophysical Research: Solid Earth*, 120(5), 3566–3598. <https://doi.org/10.1002/2014JB011661>
- Fujita, M., Yoneyama, K., Mori, S., Nasuno, T., & Satoh, M. (2011). Diurnal convection peaks over the eastern Indian Ocean off sumatra during different MJO phases. *Journal of the*

- 370 *Meteorological Society of Japan*, 89(A), 317–330. <https://doi.org/10.2151/jmsj.2011-A22>
- 371 Gonzalez, A. O., & Jiang, X. (2017). Winter mean lower tropospheric moisture over the
372 Maritime Continent as a climate model diagnostic metric for the propagation of the
373 Madden-Julian oscillation. *Geophysical Research Letters*, 44(5), 2588–2596.
374 <https://doi.org/10.1002/2016GL072430>
- 375 Grabowski, W. W., & Moncrieff, M. W. (2004). Moisture-convection feedback in the tropics.
376 *Quarterly Journal of the Royal Meteorological Society*, 130 C(604), 3081–3104.
377 <https://doi.org/10.1256/qj.03.135>
- 378 Hagos, S. M., Zhang, C., Feng, Z., Burleyson, C. D., De Mott, C., Kerns, B., et al. (2016). The
379 impact of the diurnal cycle on the propagation of Madden-Julian Oscillation convection
380 across the Maritime Continent. *Journal of Advances in Modeling Earth Systems*, 8(4),
381 1552–1564. <https://doi.org/10.1002/2016MS000725>
- 382 Hannah, W. M., & Maloney, E. D. (2011). The role of moisture-convection feedbacks in
383 simulating the Madden-Julian oscillation. *Journal of Climate*, 24(11), 2754–2770.
384 <https://doi.org/10.1175/2011JCLI3803.1>
- 385 Hersbach, H., Bell, B., Berrisford, P., Hirahara, S., Horányi, A., Muñoz-Sabater, J., et al. (2020).
386 The ERA5 global reanalysis. *Quarterly Journal of the Royal Meteorological Society*,
387 146(730), 1999–2049. <https://doi.org/10.1002/qj.3803>
- 388 Holloway, C. E., & Neelin, D. J. (2009). Moisture vertical structure, column water vapor, and
389 tropical deep convection. *Journal of the Atmospheric Sciences*, 66(6), 1665–1683.
390 <https://doi.org/10.1175/2008JAS2806.1>
- 391 Inness, P. M., & Slingo, J. M. (2006). The interaction of the Madden-Julian Oscillation with the
392 Maritime Continent in a GCM. *Quarterly Journal of the Royal Meteorological Society*,
393 132(618 A), 1645–1667. <https://doi.org/10.1256/qj.05.102>
- 394 Inness, P. M., Slingo, J. M., Guilyardi, E., & Cole, J. (2003). Simulation of the Madden-Julian
395 oscillation in a coupled general circulation model. Part II: The role of the basic state.
396 *Journal of Climate*, 16(3), 365–382. [https://doi.org/10.1175/1520-0442\(2003\)016<0365:SOTMJO>2.0.CO;2](https://doi.org/10.1175/1520-0442(2003)016<0365:SOTMJO>2.0.CO;2)
- 398 Jiang, X. (2017). Key processes for the eastward propagation of the madden-julian oscillation
399 based on multimodel simulations. *Journal of Geophysical Research*, 122(2), 755–770.
400 <https://doi.org/10.1002/2016JD025955>
- 401 Kiladis, G. N., & Weickmann, K. M. (1992). Circulation Anomalies Associated with Tropical
402 Convection during Northern Winter. *Monthly Weather Review*, 120(9), 1900–1923.
403 [https://doi.org/10.1175/1520-0493\(1992\)120<1900:CAAWTC>2.0.CO;2](https://doi.org/10.1175/1520-0493(1992)120<1900:CAAWTC>2.0.CO;2)
- 404 Kim, D., & Kang, I. S. (2012). A bulk mass flux convection scheme for climate model:
405 Description and moisture sensitivity. *Climate Dynamics*, 38(1–2), 411–429.
406 <https://doi.org/10.1007/s00382-010-0972-2>
- 407 Kim, D., Kug, J. S., & Sobel, A. H. (2014). Propagating versus nonpropagating Madden-Julian
408 oscillation events. *Journal of Climate*, 27(1), 111–125. <https://doi.org/10.1175/JCLI-D-13-00084.1>
- 410 Kim, D., Kim, H., & Lee, M. I. (2017). Why does the MJO detour the Maritime Continent during

austral summer? *Geophysical Research Letters*, 44(5), 2579–2587.

<https://doi.org/10.1002/2017GL072643>

Ling, J., Zhang, C., Joyce, R., Xie, P. ping, & Chen, G. (2019). Possible Role of the Diurnal Cycle in Land Convection in the Barrier Effect on the MJO by the Maritime Continent. *Geophysical Research Letters*, 46(5), 3001–3011. <https://doi.org/10.1029/2019GL081962>

Madden, R. A., & Julian, P. R. (1971). Detection of a 40–50 Day Oscillation in the Zonal Wind in the Tropical Pacific. *Journal of the Atmospheric Sciences*, 28(5), 702–708. [https://doi.org/10.1175/1520-0469\(1971\)028<0702:doadoi>2.0.co;2](https://doi.org/10.1175/1520-0469(1971)028<0702:doadoi>2.0.co;2)

Madden, R. A., & Julian, P. R. (1972). Description of Global-Scale Circulation Cells in the Tropics with a 40–50 Day Period. *Journal of the Atmospheric Sciences*, 29(6), 1109–1123. [https://doi.org/10.1175/1520-0469\(1972\)029<1109:DOGSCC>2.0.CO;2](https://doi.org/10.1175/1520-0469(1972)029<1109:DOGSCC>2.0.CO;2)

Majda, A. J., & Yang, Q. (2016). A multiscale model for the intraseasonal impact of the diurnal cycle over the maritime continent on the Madden-Julian oscillation. *Journal of the Atmospheric Sciences*, 73(2), 579–604. <https://doi.org/10.1175/JAS-D-15-0158.1>

Maloney, E. D., & Sobel, A. H. (2004). Surface fluxes and ocean coupling in the tropical intraseasonal oscillation. *Journal of Climate*, 17(22), 4368–4386. <https://doi.org/10.1175/JCLI-3212.1>

Mo, K. C. (2000). Intraseasonal modulation of summer precipitation over North America. *Monthly Weather Review*, 128(5), 1490–1505. [https://doi.org/10.1175/1520-0493\(2000\)128<1490:IMOSPO>2.0.CO;2](https://doi.org/10.1175/1520-0493(2000)128<1490:IMOSPO>2.0.CO;2)

Neale, R., & Slingo, J. (2003). The Maritime Continent and its role in the global climate: A GCM study. *Journal of Climate*, 16(5), 834–848. [https://doi.org/10.1175/1520-0442\(2003\)016<0834:TMCAIR>2.0.CO;2](https://doi.org/10.1175/1520-0442(2003)016<0834:TMCAIR>2.0.CO;2)

Rauniyar, S. P., & Walsh, K. J. E. (2011). Scale interaction of the diurnal cycle of rainfall over the Maritime Continent and Australia: Influence of the MJO. *Journal of Climate*, 24(2), 325–348. <https://doi.org/10.1175/2010JCLI3673.1>

Raymond, D. J. (2001). A New Model of the Madden-Julian Oscillation. *Journal of the Atmospheric Sciences*, 58(18), 2807–2819. [https://doi.org/10.1175/1520-0469\(2001\)058<2807:ANMOTM>2.0.CO;2](https://doi.org/10.1175/1520-0469(2001)058<2807:ANMOTM>2.0.CO;2)

Roundy, P. E., & Frank, W. M. (2004). Effects of low-frequency wave interactions on intraseasonal oscillations. *Journal of the Atmospheric Sciences*, 61(24), 3025–3041. <https://doi.org/10.1175/JAS-3348.1>

Rui, H., & Wang, B. (1990). Development Characteristics and Dynamic Structure of Tropical Intraseasonal Convection Anomalies. *Journal of the Atmospheric Sciences*. [https://doi.org/10.1175/1520-0469\(1990\)047<0357:dcadso>2.0.co;2](https://doi.org/10.1175/1520-0469(1990)047<0357:dcadso>2.0.co;2)

Sakaeda, N., Kiladis, G., & Dias, J. (2017). The diurnal cycle of tropical cloudiness and rainfall associated with the Madden-Julian oscillation. *Journal of Climate*, 30(11), 3999–4020. <https://doi.org/10.1175/JCLI-D-16-0788.1>

Schreck, C. J., Cordeira, J. M., & Margolin, D. (2013). Which MJO events affect north american temperatures? *Monthly Weather Review*, 141(11), 3840–3850. <https://doi.org/10.1175/MWR-D-13-00118.1>

- Seo, K. H., Wang, W., Gottschalck, J., Zhang, Q., Schemm, J. K. E., Higgins, W. R., & Kumar, A. (2009). Evaluation of MJO forecast skill from several statistical and dynamical forecast models. *Journal of Climate*, 22(9), 2372–2388. <https://doi.org/10.1175/2008JCLI2421.1>
- Skofronick-Jackson, G., Kirschbaum, D., Petersen, W., Huffman, G., Kidd, C., Stocker, E., & Kakar, R. (2018). The Global Precipitation Measurement (GPM) mission’s scientific achievements and societal contributions: reviewing four years of advanced rain and snow observations. *Quarterly Journal of the Royal Meteorological Society*, 144(April), 27–48. <https://doi.org/10.1002/qj.3313>
- Sobel, A., & Maloney, E. (2012). An idealized semi-empirical framework for modeling the Madden-Julian oscillation. *Journal of the Atmospheric Sciences*, 69(5), 1691–1705. <https://doi.org/10.1175/JAS-D-11-0118.1>
- Sobel, A., & Maloney, E. (2013). Moisture modes and the eastward propagation of the MJO. *Journal of the Atmospheric Sciences*, 70(1), 187–192. <https://doi.org/10.1175/JAS-D-12-0189.1>
- Tian, B., Waliser, D. E., & Fetzer, E. J. (2006). Modulation of the diurnal cycle of tropical deep convective clouds by the MJO. *Geophysical Research Letters*, 33(20), 1–6. <https://doi.org/10.1029/2006GL027752>
- Tippett, M. K. (2018). Robustness of relations between the MJO and U.S. tornado occurrence. *Monthly Weather Review*, 146(11), 3873–3884. <https://doi.org/10.1175/MWR-D-18-0207.1>
- Torri, G., Adams, D. K., Wang, H., & Kuang, Z. (2019). On the diurnal cycle of GPS-derived precipitable water vapor over sumatra. *Journal of the Atmospheric Sciences*, 76(11), 3529–3552. <https://doi.org/10.1175/JAS-D-19-0094.1>
- Vitart, F., & Molteni, F. (2010). Simulation of the Madden-Julian oscillation and its teleconnections in the ECMWF forecast system. *Quarterly Journal of the Royal Meteorological Society*, 136(649), 842–855. <https://doi.org/10.1002/qj.623>
- Waliser, D., Sperber, K., Hendon, H., Kim, D., Maloney, E., Wheeler, M., et al. (2009). MJO simulation diagnostics. *Journal of Climate*, 22(11), 3006–3030. <https://doi.org/10.1175/2008JCLI2731.1>
- Wang, B., Chen, G., & Liu, F. (2019). Diversity of the Madden-Julian Oscillation. *Science Advances*, 5(7), eaax0220. <https://doi.org/10.1126/sciadv.aax0220>
- Wang, S., Sobel, A. H., Tippett, M. K., & Vitart, F. (2019). Prediction and predictability of tropical intraseasonal convection: seasonal dependence and the Maritime Continent prediction barrier. *Climate Dynamics*, 52(9–10), 6015–6031. <https://doi.org/10.1007/s00382-018-4492-9>
- Weaver, S. J., Wang, W., Chen, M., & Kumar, A. (2011). Representation of MJO Variability in the NCEP Climate Forecast System. *Journal of Climate*, 24(17), 4676–4694. <https://doi.org/10.1175/2011JCLI4188.1>
- Wheeler, M. C., & Hendon, H. H. (2004). An all-season real-time multivariate MJO index: Development of an index for monitoring and prediction. *Monthly Weather Review*, 132(8), 1917–1932. [https://doi.org/10.1175/1520-0493\(2004\)132<1917:AARMMI>2.0.CO;2](https://doi.org/10.1175/1520-0493(2004)132<1917:AARMMI>2.0.CO;2)
- Wu, C. H., & Hsu, H. H. (2009). Topographic influence on the MJO in the maritime continent.

Journal of Climate, 22(20), 5433–5448. <https://doi.org/10.1175/2009JCLI2825.1>

Yamanaka, M. D. (2016). Physical climatology of Indonesian maritime continent: An outline to comprehend observational studies. *Atmospheric Research*, 178–179, 231–259. <https://doi.org/10.1016/j.atmosres.2016.03.017>

Zhang, C. (2005). Madden-Julian Oscillation. *Rev. Geophys*, (43), RG2003. <https://doi.org/10.1029/2004RG000158>

Zhang, C., & Ling, J. (2017). Barrier effect of the Indo-Pacific Maritime Continent on the MJO: Perspectives from tracking MJO precipitation. *Journal of Climate*, 30(9), 3439–3459. <https://doi.org/10.1175/JCLI-D-16-0614.1>

Zhou, Y., Lu, Y., Yang, B., Jiang, J., Huang, A., Zhao, Y., et al. (2016). On the relationship between the Madden-Julian Oscillation and 2m air temperature over central Asia in boreal winter. *Journal of Geophysical Research*, 121(22), 13,250–13,272. <https://doi.org/10.1002/2016JD025651>

Zhu, H., Hendon, H., & Jakob, C. (2009). Convection in a parameterized and superparameterized model and its role in the representation of the MJO. *Journal of the Atmospheric Sciences*, 66(9), 2796–2811. <https://doi.org/10.1175/2009JAS3097.1>