

Climate Change, Conservation, and Sustainable Management Strategies in the Se Kong, Se San, and Sre Pok (3S) River Basins

Ibrahim Mohammed¹, John Bolten², Nicholas Souter³, Kashif Shaad³, and Derek Vollmer³

¹Goddard Space Flight Center, Johns Hopkins University

²National Aeronautics and Space Administration

³Conservation International

December 8, 2022

Abstract

Sustainably managing resources in a transboundary freshwater basin is a complex problem, particularly when considering the compounding impacts of climate change, hydropower development, and evolving water governance paradigms. In this study, we used a mixed methods approach to analyze potential impacts of climate change on regional hydrology, the ability of dam operation rules to keep downstream flow within acceptable limits, and the present state of water governance in Laos, Vietnam, and Cambodia. Our results suggest that future river flows in the 3S river system could move closer to natural (i.e., pre-development) conditions during the dry season and experience increased floods during the wet season. This anticipated new flow regime in the 3S region would require a shift in the current dam operations, from maintaining minimum flows to reducing flood hazards. Moreover, our Governance and Stakeholders survey assessment results revealed that existing water governance systems in Laos, Vietnam, and Cambodia are ill-prepared to address such anticipated future water resource management problems. Our results indicate that the solution space for addressing these complex issues in the 3S river basins will be highly constrained unless major deficiencies in transboundary water governance, strategic planning, financial capacity, information sharing, and law enforcement are remedied in the next decade. This work is part of an ongoing research partnership between the National Aeronautical and Space Agency (NASA) and the Conservation International (CI) dedicated to improving natural resources assessment for conservation and sustainable management.

Climate Change, Conservation, and Sustainable Management Strategies in the Se Kong, Se San, and Sre Pok (3S) River Basins

Ibrahim.Mohammed@nasa.gov


Ibrahim N. Mohammed^{*}, John D. Bolten^{*}, Nicholas J. Souter^{*}, Kashif Shaad^{*}, Derek Vollmer^{*}

^{*}Hydrological Sciences Laboratory, NASA Goddard Space Flight Center, Mail Code 617.0, Greenbelt, Maryland, USA

^{*}Conservation International, Moore Center for Science, Arlington, Virginia, USA

INTRODUCTION

- Freshwater availability is necessary to promote economic growth through agriculture, fisheries, transport, environmental health, and social equity.
- Water resources planning efforts in the Lower Mekong River region (Laos, Vietnam, Cambodia, Thailand, and Myanmar) are complicated by uncertainty stemming from patterns of economic growth, changes in water use patterns, land use change, and climate change.
- While these processes directly increase demands, or decrease supply, research has demonstrated that there are complex processes and dynamic feedbacks among physical processes, biological, biochemical and human-mediated processes that determine change in the water system.




Modeled hydropower dams in the Se Kong Se San, and Sre Pok (3S) River Basin within the Mekong River Basin. The upper right map gives the location of the 3S River Basin within the Mekong River Basin. Black dots are existing and planned reservoirs examined under Business as Usual (BAU), Storage, and Release management scenarios. The 3S River Basin drainage area is about 78,714 km².

OBJECTIVE

The overarching goal of this work is to diagnose challenges and setting priorities for sustainable water resource management under climate change.

METHODS

The Lower Mekong River Basin climate projection.



Panel (a) gives the projected annual precipitation amounts under the Coupled Model Intercomparison Project Phase 5 (CMIP5) representative concentration scenario (RCP 8.5). Panel (b) displays the projected increase of mean annual air temperatures (Tmin & Tmax). Climate analysis for precipitation and air temperature presented covers the time period from 2024 to 2095. Four climate model groups (NorESM1-M, IPSL-CM5A, GFDL-CM3, and CCSM4) are studied.


- Vollmer et al., (2018) have presented the social-ecological framework named the Freshwater Health Index (FHI), which takes account of the interplay between governance, stakeholders, freshwater ecosystems and the ecosystem services they provide. *The Fresh Health Index (FHI) is a conceptual framework for freshwater Social-Ecological Systems (SESs) comprised of Governance and Stakeholders, Ecosystem Vitality and Ecosystem Services.*

- Mohammed et al., (2018) modeling capabilities enable the integration of satellite-based daily gridded precipitation, air temperature, digital elevation model, soil characteristics, and land cover and land use information to simulate water flux framework.
- We have examined how climate change and dam development could impact the Se Kong, Se San and Sre Pok Rivers. We have demonstrated an integrated approach exploring balancing tradeoffs of sustainable water use and coping with climate uncertainty through the lens of socio-ecological system, combining remote and in-situ earth observations, hydrologic and climate models, and social surveys using a case study from the Lower Mekong basin (3S River Basins).

RESULTS


- We find that climate change will lead to increased precipitation, necessitating a shift in dam operations, from maintaining low flows to reducing flood hazards. We also find that existing water governance systems in Laos, Vietnam, and Cambodia are ill-prepared to address the problem (Mohammed et al., 2022).

Ecosystem Vitality Indicator – Water quantity – Deviation from natural flow regime




Change in deviation from natural flow ($\Delta DvNF = DvNF_{Storage} - DvNF_{Release}$) within the Se Kong, Se San, and Sre Pok (3S) River Basin under the Coupled Model Intercomparison Project Phase 5 (CMIP5) representative concentration scenario (RCP 8.5) with the GFDL-CM3 climate group in response to different management scenarios. (a) spatial variation of the change in deviation from natural flow, and (b) bar plot of the change in deviation from natural flow. Black dots are modelled existing and planned reservoirs. A zero in $\Delta DvNF$ refers to 3S River segments that are insensitive to management scenarios. The DvNF results shown were calculated from 2025 to 2050 time period. The 3S River segments are labeled with Reach ID numbers (e.g., Reach ID # 1022 is the 3S Outlet).

SCAN ME




Acknowledgement

This work was fully supported by the National Aeronautics and Space Administration (NASA) and the nonprofit Conservation International (CI) partnership on water resources along the Mekong River in southeast Asia.



Climate change impacts are predicted to substantially increase discharge from October to April, peaking one month later than historically and at levels > 50% over baseline



- ## HIGHLIGHTS
- Governance and Stakeholder Survey Response**
- The utility of satellite earth observation data has enabled us to investigate the Lower Mekong ecosystem health and develop decision awareness tools that can be applied on a global scale.
 - Future reservoir operational policies need to shift dramatically towards flood mitigation in the wet season.
 - Transparency and cooperation (across sectors and jurisdictions) are foundational to the Mekong countries' ability to adapt to a changing flow regime.
 - Our results indicate that the solution space needs to consider the predicted climate induced impacts on water resources in the 3S River basin—while this is not surprising, it is not yet common practice in the region, and our approach of using widely available data and a limited set of indicators can be a starting point.

REFERENCES

- Mohammed, I.N., Bolten, J.D., Souter, N.J., Shaad, K., Vollmer, D., 2022. Diagnosing challenges and setting priorities for sustainable water resource management under climate change. *Scientific Reports*, 12, 796. <https://doi.org/10.1038/s41598-022-04766-2>
- Mohammed, I. N., Bolten, J., Srinivasan, R., & Lakshmi, V. (2018). Improved hydrological decision support system for the Lower Mekong River Basin using satellite-based earth observations. *Remote Sensing*, 10(6), 885. <https://doi.org/10.3390/rs10060885>
- Vollmer, D., Shaad, K., Souter, N. J., Farrell, T., Dudgeon, D., Sullivan, C. A., ... Regan, H. M. (2018). Integrating the social, hydrological and ecological dimensions of freshwater health: The Freshwater Health Index. *Science of The Total Environment*, 627, 304-313. <https://doi.org/10.1016/j.scitotenv.2018.01.040>

