

Stanford Earth Young Investigators (SEYI) program sponsored the participation in this work of BC.

Data was downloaded from the IRIS, USGS, NCEDC, and CRUST 1.0 website.

1. Barazangi, M., Oliver, J., Isacks, B., 1977. Relative excitation of the seismic shear waves Sn and Lg as a function of source depth and their propagation from Melanesia and Banda arcs to Australia. *Ann. Geophys.* 30 (3–4), 386–407. <https://doi.org/10.4401/ag-4829>.
2. Laske, G., Ma, Z., Masters, G., & Pasyanos, M. (2017). A New Global Crustal Model at 1x1 Degrees. CRUST 1.0. Retrieved November 6, 2020, from <https://igppweb.ucsd.edu/~gabi/crust1.html>
3. O'Rourke, C. T., Sheehan, A. F., & Erslev, E. (2016). Small-Magnitude Earthquakes in North-Central Wyoming Recorded during the Bighorn Arch Seismic Experiment. *Bulletin of the Seismological Society of America*, 106(1), 281-288. <https://doi.org/10.1785/0120150114>
4. Prieto, G. A., Froment, B., Abercrombie, R., & Yu, C. (2017). Earthquake rupture below the brittle-ductile transition in continental lithospheric mantle. *Science Advances*, 3(3), 1-6. <https://doi.org/10.1126/sciadv.1602642>
5. Wang, S. and Klemperer, S.L., (2019). Quantitative study on the relative excitation of guided seismic waves Sn and Lg as a function of source depth. AGUFM, 2019, pp.S31D-0554.
6. Wang, S., & Klemperer, S. L. (2021). Love-wave normal modes discriminate between upper-mantle and crustal earthquakes: Simulation and demonstration in Tibet. *Earth and Planetary Science Letters*, 571. <https://doi.org/10.1016/j.epsl.2021.117089>