

Indications for non-terrestrial influences on radon signals from a multi-year enhanced confined experiment

ESM - Figures

Figure 1: The ECM principle.....1

Figure 2: Layout of EXP #1. Gamma-C is inserted inside a 0.5 cm thick pipe (red).....2

Figure 3: Decay chain of Uranium-238. (Courtesy of Argonne National Laboratory).2

Figure 4: Power spectrum of g-C centered on noon (red) and midnight (blue) in the frequency band of 0-6 year-1. Reproduced from Sturrock et a., 2018.....2

Figure 5: Power spectrum of g-C centered on noon (red) and midnight (blue) in the frequency band of 10-16 year-1. Reproduced from Sturrock et al., 2018.....2




Figure 1: The ECM principle




Figure 2: Layout of EXP #1. Gamma-C is inserted inside a 0.5 cm thick pipe (red).




Figure 3: Decay chain of Uranium-238. (Courtesy of Argonne National Laboratory).




Figure 4: Power spectrum of g-C centered on noon (red) and midnight (blue) in the frequency band of 0-6 year⁻¹. Reproduced from Sturrock et al., 2018.




Figure 5: Power spectrum of g-C centered on noon (red) and midnight (blue) in the frequency band of 10-16 year⁻¹. Reproduced from Sturrock et al., 2018.