


Spatial Variability of Long-Term Dependencies in the Precipitation for a Basin-Scale under the Detection of Climate Change




Sathyaseelan M., Sanjay Kumar Ghosh, Chandra Shekhar Prasad Ojha

Department of Civil Engineering, Indian Institute of Technology Roorkee, India.



PRESENTED AT:




INTRODUCTION


- Long-term dependencies may be one of the reasons for the spatial variability in precipitation frequencies.
- This study assesses the long-term dependencies in the precipitation time series at a basin-scale using the wavelet-based fractal decomposition techniques and empirical cumulative distribution function.
- The degree of variations in the long-term dependencies in the precipitation provides an understanding of climate change happenings and their impacts at the basin or regional scale level.

DATA AND STUDY AREA

- In this study, the daily gridded precipitation datasets from the India Meteorological Department (IMD) of $0.25^\circ \times 0.25^\circ$ spatial resolution for the years 1901 to 2018 have been used.
- The data has been transformed into various series such as Annual, Winter (JF), Summer (MAM), Autumn (JJAS), Spring (OND), and Monthly for the analysis.
- The study area taken here is the upper Ramganga basin located on the foothills of the Himalayan region in India.
- The study area covers about 57 grid points.



METHODOLOGY



RESULTS AND DISCUSSIONS

Wavelet based Decomposition:

The results of the Average Wavelet Coefficients (AWC) for the estimation of Hurst Exponent (H) are illustrated in the following figures for Series 1 and Series 2 for only one location.




Figure 3. Showing the AWC for station 9. and Series 1.




Figure 4. Showing the AWC for station 9 and Series 2.

Based on the values of the AWC slopes, the Hurst coefficients (H) are calculated. This is a representation of the long-term dependencies in the non-stationary condition.

The ratioing is applied on the AWC based values of series 1 and series 2 and the spatial variability of the degree of long-term dependencies are mapped as shown in figure 5.

Spatio-Temporal Variability of AWC Ratioing based Dependency Analysis




Figure 5. Spatial variability of the Long-term dependencies based on the AWC and ratioing.

Empirical Cumulative Distribution Function (ECDF)




Figure 5. CDF for the Station 1 Annual Series 1 and Annual Series 2.

Spatio-Temporal Variability of CDF Ratioing based Dependency Analysis




Figure 7. Spatial variability of the Long-term dependencies based on the CDF and ratioing.

SUMMARY AND CONCLUSION

From the results, it is observed that mostly the degree of variation in terms of a higher rate of change in the long-term dependencies and the lower rate of change in the long-term dependencies from both the analysis are shown in figure 8.




Figure 8. Degree of variation in the long-term dependencies based on both the analysis.

These spatial variabilities in the degree of long-term dependencies provide an understanding of climate change and may support the various scientific studies, resource management, and development.

DESIGN YOUR IPOSTER

Background

insert image

remove image

Title Text Font

Default

Textbox Title Color

Title Text Color

Side Textbox Title Background Color

Fill Color

Subtitle Text Font

Middle Textbox Title Background Color

Gradient Color

Default

Subtitle Text Color

Textbox Text Font

Default

OPEN Arrow Color

Side Textbox Text Color

Light Gray

Textbox Title Font

Side Textbox Background Color

Default

Middle Textbox Text Color

Middle Textbox Background Color

reset all styles to default

Notice!

Your iPoster has now been unpublished and will not be displayed on the iPoster Gallery.

You need to publish it again if you want to be displayed.

You must be registered to publish your poster.

Please visit www.agu.org/Fall-Meeting/Pages/Register-Housing/Registration-Rates (<https://www.agu.org/Fall-Meeting/Pages/Register-Housing/Registration-Rates>) to get registered

If you have recently registered, you may have to wait up to 10 minutes to be able to publish.

If you are still unable to publish, please contact AGU at: service@agu.org (<mailto:service@agu.org>)

Because of maintenance we have just saved your content and will within a few minutes logout all users and restart our server. We will be back in a moment.

Sorry for the inconvenience!

Because of maintenance we will within a few minutes restart our server. We will be back in a moment.

Sorry for the inconvenience!

LINK:

ABSTRACT

Long-term dependencies may be one of the reasons for the spatial variability in precipitation frequencies. This study assesses the long-term dependencies in precipitation time series at a basin-scale using the wavelet-based fractal decomposition technique and empirical Cumulative Distribution Function (CDF). The gridded precipitation datasets ($0.25^\circ \times 0.25^\circ$) from the India Meteorological Department (IMD) for the year 1901 to 2018 have been used. In order to find the climate change points from each data series, Pettit's change point method is used. Based on the change points, the input for both methods is generated into two series, the series -1 (before change point) and the series - 2 (after change point). In order to handle the non-stationarity associated with the time series datasets, the method of wavelet decomposition and the continuous CDFs are used. The Discrete Wavelet Transform (DWT) based decomposition is performed by taking the Daubechies (db1 to db10) mother wavelet along with the varying scale and translation parameters. The Average Wavelet Coefficient (AWC) method estimates the Hurst exponent (H) for analyzing the long-term dependencies. Also, using the ratio approach, the means of the CDFs for the original data series are constructed and compared. The results of both the series wavelet coefficients are compared using the ratio method, and the relative shifts in the CDFs are mapped. Then, the results of the spatio-temporal variability patterns at different classes such as higher, moderate, or lower rates of change explain the degree of long-term dependencies and their significance at each location in a basin-scale, which may support various scientific studies and related resources management and development activities.

CHAT SETTINGS

How it works
(https://ipostersessions.com/Schedule_chat_instructions_AGUFM/)

Choose Date & Time

Your Timezone

Time

From

--:--

To

--:--

Date

mm/dd/yyyy

Please note: After setting up or changing your session time, it may take up to an hour for the change to be displayed on the Gallery screen.

Edit Chatroom Message

Hello

My chat will be starting at the time listed below. If the chat isn't open, it means I'm not here yet - so please contact me using the Contact Author button at the bottom of my iPoster.

Important: Participants will only be able to join your chat during the assigned time and when you have clicked the "Start Chat" button.

SAVE SETTINGS CANCEL

START CHAT

<https://agu2021fallmeeting-agu.ipostersessions.com/Default.aspx?s=5E-C2-06-07-32-C9-8E-B7-B7-0C-6A-6A-0D-02-E8-BB&pdfprint=true&guestvi...> 14/22

YOUR CHAT SESSION SCHEDULE

DateStart	End	Time zone	Actions	Add new session
-----------	-----	-----------	---------	-----------------

CHAT INFORMATION

IN PERSON POSTER HALL SESSION SETTINGS

How it works

(https://ipostersessions.com/poster_hall_presentation_session_instructions/)

Choose Date & Time

Your Timezone

Time

Date

Session - Board Number

Session - Board Number

Please note: After setting up or changing your session time, it may take up to an hour for the change to be displayed on the Gallery screen.

Edit Session Message

SAVE SETTINGS CANCEL

YOUR IN PERSON POSTER HALL SESSION SCHEDULE

Date	Start	End	Time zone	Actions	Add new session
------	-------	-----	-----------	---------	-----------------

SHARE POSTER

SHARE LINK:

Tweet

Shi


JOIN CHAT

In order to join Chat, please enter your name and email address

JOIN CHAT

AT MY POSTER

REVIEWER SURVEY

 Upload new