

# Relationships between eclogite-facies mineral assemblages, deformation microstructures, and seismic properties in the Yuka terrane, North Qaidam UHP metamorphic belt, NW China



Munjae Park\* & Haemyeong Jung



Tectonophysics Lab, School of Earth and Environmental Sciences, Seoul National University, Seoul, Korea (\*nopproblem82@snu.ac.kr)




## 1. INTRODUCTION

Although phengite is a common high-pressure phase in eclogite-facies rocks from numerous locations worldwide, studies on the seismic properties of phengite in eclogites have been limited. Moreover, how mineral assemblage-dependent seismic properties evolve during prograde and retrograde metamorphism has never been reported. Therefore, the focus of this study is to distinguish the characteristic seismic properties of a range of eclogite-facies mineral assemblages. For this purpose, we studied the Yuka ultrahigh-pressure eclogites from North Qaidam terrane in northwestern China.

## 2. STUDY AREA & FIELD OBSERVATION




## 3. MICROSTRUCTURES in XZ plane



- Mineral Volume Fraction: Garnet (Grt 13–22%), Omphacite (Omp 25–67%), Phengite (Ph 2–15%), Amphibole (Amp 10–46%) with minor Rutile (Rt) & Quartz (Qtz)
- Omp (up to 43% jadeite): strong SPOs, sub-grain boundaries, & undulose extinction.
- Ph (Si = 3.38–3.43): strong SPOs, sub-grain boundaries, undulose extinction, & kink bands.
- Amp (edenite/barroisite/hornblende): a weak/moderate SPO & lack of internal deformation.
- Yellow arrows indicate sub-grain boundaries and/or undulose extinction.


## 4. LPOs of Garnet, Omphacite, Phengite, & Amphibole



Pole figures are presented in lower hemisphere using equal area projection, and contoured with a half width of 20°. The east-west direction corresponds to stretching lineation (X), and the north-south direction (Z) is normal to foliation. N represents the number of measured grains. Fabric (LPO) strength is denoted as J (J-index) & M (M-index).

- Garnet
  - ✓ Weak/complex with diverse point maxima of (100), (110), & (111)
  - ✓ Low fabric strength
- Omphacite
  - ✓ L-type LPO: [001] axes // X & (010) poles (girdles) ⊥ X
  - ✓ Moderate fabric strength
- Phengite
  - ✓ [001] axes ⊥ XY & the others scattering along a girdle within XY
  - ✓ Strong fabric strength
- Amphibole
  - ✓ [001] axes // X & (010) poles (girdles) ⊥ X
  - ✓ Fabric strength: little smaller than phengite

## 5. SEISMIC ANISOTROPY in eclogite-facies mineral assemblages



## 6. KEY POINTS of THIS STUDY

- Seismic signatures are distinct for different eclogite-facies mineral assemblages.
- Phengite-bearing eclogite produces the strongest seismic anisotropy among different eclogite-facies mineral assemblages.
- Phengite in eclogite-facies mineral assemblages can play an important role in the creation of seismic anisotropy in subduction zones.

JGR Solid Earth

Research Article | Full Access

Relationships between eclogite-facies mineral assemblages, deformation microstructures, and seismic properties in the Yuka terrane, North Qaidam ultrahigh-pressure metamorphic belt, NW China

Munjae Park, Haemyeong Jung

First published: 11 November 2019 | <https://doi.org/10.1029/2019JB018198>