




LIKED publication DOI:  
10.1016/j.asr.2022.10.051



DIARieS publication DOI:  
10.1016/j.asr.2022.05.012

# DIARieS

---

DEVELOPING A VISION FOR MATURING THE  
HELIOPHYSICS INFRASTRUCTURE TOWARDS  
OPEN SCIENCE


*R. Ringuette, A. Engell, O. Gerland, R. M. McGranaghan, and  
B. Thompson.*

AGU 2022 Fall Meeting



# Motivation

---



## **DIARieS**

An ecosystem to simplify  
**D**iscovery, **I**mplementation,  
**A**nalysis, **R**eproducibility,  
and **S**haring of scientific  
results and environments.

A  
Discovery online resource for  
discovering and  
implementing knowledge,  
data, and infrastructure  
resources.

# Proposed Solution

# *The DIARieS Ecosystem*

## Discover

*Search for data, catalogs, models, and software using uniform parameters:*

- Discipline
- Domain
- Phenomenon
- Time Range
- Standardized Variable Name

## Implement

Add the selected data, catalogs, models, and software to your ecosystem to customize your research environment **by clicking a button.**

## Analyze

Perform your specialized analysis in an *automatically versioned notebook* with *built-in interactive graphics* and *high performance computing* capabilities.

## Reproduce

**Preserve your analysis** workflow in an *automatically containerized ecosystem*, complete with all research components included.

## Share

Create *customized narrated tutorials* to present your research or dashboard to the community or with colleagues with **more transparency.**

# Welcome to the DIARieS Ecosystem

File   Add   Templates   Packages   Variables   Citations   Recording   Share   Help

## Menu options (in above drop-down menus)

### File:

- New
- Open
- Save/Save as
- Close

### Add:

- **Data/Model Outputs/Catalogs**
- Software
- Widget
- Notebook
- Computing Resource

### Templates:

- Template search
- Import template
- Create new template

### Packages:

- None added

### Variables:

- None added

### Citations:

- (Pop up window with citation list and export options)

### Recording:

- Create recording
- Edit recording
- View recording

### Share:


- Add/Remove authors/viewers
- Change permissions
- Create demo/user mode
- Publish

### Help

Documentation/Help  
Metadata/Properties  
Remove/Update

Documentation/Help  
Metadata/Properties  
Remove/Change Name






- Built on LIKED – an intelligent search interface built using data science technology.
- Two sections based on type of expected mechanisms: Data and Software

# DIARieS container: Data Discovery and Implementation Interface

← → ↻ 🔒 cdaweb.gsfc.nasa.gov/cgi-bin/eval2.cgi

**GODDARD SPACE FLIGHT CENTER**  
Space Physics Data Facility

+ Goddard Home  
+ NASA Home

+ SPDF HOME

+ MISSION DATA


+ MODELS at CCMC

+ SCIENCE ENABLED

+ AND MORE

+ CDAWeb Home  
**CDAWeb**

+ FEEDBACK

**Coordinated Data Analysis Web**

## CDAWeb Data Explorer

Select start and stop times from which to GET or PLOT data:

Start time (YYYY/MM/DD HH:MM:SS.mmm):

Stop time (YYYY/MM/DD HH:MM:SS.mmm):

☐ Compute uniformly spaced binned data for scalar/vector/spectrogram data (not available with noise filtering)

☐ Use spike removal to filter data without binning (not available with noise filtering)(Warning: Experimental !!).

Select an activity:

☐ Data Availability Chart : Generate a chart showing when data is available for the selected data set(s) and time range (Select > 1day). **NEW**

☐ Plot Data : select one or more variables from list below and press submit.

☐ List Data (ASCII/CSV): select one or more variables from list below and press submit. (Works best for < 31 days)

☐ Download original files : press submit button to retrieve list of files. (Max. 200 days - use [HTTPS site](#) for larger requests)

☒ Create V3.8 CDFs for download or Autoplot demonstration: select one or more variables from the list below and press submit.

☒ Create Version 2.7.2 compatible CDFs (Default is Version 3.8)

☐ Create audio files based on data from selected variables. [More information about audification.](#)


Note: [CDF patch](#) required for reading Version 3.8 CDFs in IDL or MATLAB.  
Get [CDFX](#) - IDL GUI plotting/listing toolkit software. To be used with either the daily or "created" CDF files available above.

Pressing the "Submit" button will spawn a new window/tab in order to support the new "Previous" and "Next" functions.

- Users first use the LIKED interface (accessible inside and outside of DIARieS) to find the desired archive (e.g. SPDF as shown here),
- Then use the search interface and mechanisms of the archive to find desired data.
- DIARieS simplifies how to add that data to the analysis environment.

# DIARieS container: Data Discovery and Implementation Interface

← → ↻ 🔒 cdaweb.gsfc.nasa.gov/cgi-bin/eval3.cgi

**GODDARD SPACE FLIGHT CENTER**  
Space Physics Data Facility

+ Goddard Home  
+ NASA Home

+ SPDF HOME


+ MISSION DATA

+ MODELS at CCMC

+ SCIENCE ENABLED

+ AND MORE

+ CDAWeb Home  
**CDAWeb**  
+ FEEDBACK

**Coordinated Data Analysis Web**

## CNOFS\_CINDIS\_IVM\_500MS

Download your new file ([REQUIRES latest IDL/CDF patch file from CDF](#)): [cnofs\\_cindis\\_ivm\\_500ms\\_20151125040000\\_20151126034441.cdf](#)

OR

[Interactively plot this file \(using non-NASA software provided by Autoplot.org\)](#)

NOTE: On a Mac OS X the dynamic jnlp could open as an ascii file. To fix that please follow these [instructions](#).

<< Previous time range

Next time range >>

NEW

>> Zoom IN time range <<

<< Zoom OUT time range >>

NEW

< Pan left


Pan right >

NEW

Return to: CDAWeb Data Explorer

NEW

[notes and caveats](#)



NASA Official: Robert M. Candey  
(301)286-6707, [Robert.M.Candey@nasa.gov](mailto:Robert.M.Candey@nasa.gov)  
Curator: Tami Kovalick  
Last Modified: 5 Dec 2022

Contact SPDF: NASA-SPDF-  
[Support@nasa.onmicrosoft.com](mailto:Support@nasa.onmicrosoft.com)  
+ Privacy Policy and Important Notices

- Open link in new tab
- Open link in new window
- Open link in incognito window
- Add to container
- Link to container
- Save link as...
- Copy link address
- Add link to list
- Inspect


Saves data  
to DIARieS  
container

Links data  
container to  
DIARieS  
container



# DIARieS container: Data Discovery and Implementation Interface

[←](#) [→](#) [↻](#) [cdaweb.gsfc.nasa.gov/cgi-bin/eval3.cgi](#)

 **GODDARD SPACE FLIGHT CENTER** | [+ Goddard Home](#)

Save	Description	Units	Default Name	Enter custom name
<input type="checkbox"/>	RPA data quality flag: 0=high 9=low ( <a href="https://spdf.gsfc.nasa.gov/pub/data/cnofs/cindi/QualityFlagDesc.doc">https://spdf.gsfc.nasa.gov/pub/data/cnofs/cindi/QualityFlagDesc.doc</a> )		RPAflag	
<input checked="" type="checkbox"/>	Ion density in cm-3	cm-3	ionDensity	rho_ion
<input checked="" type="checkbox"/>	Ion temperature in Kelvin	K	ionTemperature	T_ion
<input checked="" type="checkbox"/>	Ion 1 (normally O+) -----> Atomic Mass Number	AMU	atomicMass_ion1	Oplus
<input checked="" type="checkbox"/>	Ion 2 (normally H+) -----> Atomic Mass Number	AMU	atomicMass_ion2	Hplus
<input type="checkbox"/>	Ion3 (normally He+) -----> Atomic Mass Number	AMU	atomicMass_ion3	
<input type="checkbox"/>	Ion4 -----> Atomic Mass Number	AMU	atomicMass_ion4	
<input type="checkbox"/>	Ion 5 -----> Atomic Mass Number	AMU	atomicMass_ion5	
<input checked="" type="checkbox"/>	UT in seconds	s	time	
<input checked="" type="checkbox"/>	Geographic latitude in degrees	deg	glat	
<input checked="" type="checkbox"/>	Geographic longitude in degrees	deg	glon	
<input checked="" type="checkbox"/>	Altitude in km	km	altitude	

Reset Form


Add all with defaults

Save

Cancel

# DIARieS container: Data Discovery and Implementation Interface

← → ↻ cdaweb.gsfc.nasa.gov/cgi-bin/eval3.cgi

**GODDARD SPACE FLIGHT CENTER**  
Space Physics Data Facility

+ Goddard Home  
+ NASA Home

+ SPDF HOME

+ MISSION DATA


+ MODELS at CCMC

+ SCIENCE ENABLED

+ AND MORE

+ CDAWeb Home  
**CDAWeb**

+ FEEDBACK

**Coordinated Data Analysis Web**

## CNOFS\_CINDIS\_IVM\_500MS

Download your new file ([REQUIRES latest IDL/CDF patch file from CDF](#)): [cnofs\\_cindis\\_ivm\\_500ms\\_20151125040000\\_20151126034441.cdf](#)

OR

[Interactively plot this file \(using non-NASA software\)](#)

NOTE: On a Mac OS X the dynamic jnlp could open [instructions](#).

<< Previous time range

Next time range >>

>> Zoom IN time range <<

<< Zoom OUT time range >>

< Pan left

Pan right >


Return to: CDAWeb Data Explorer

NEW

NEW

NEW

[notes and caveats](#)



NASA Official: Robert M. Candey  
(301)286-6707, [Robert.M.Candey@nasa.gov](mailto:Robert.M.Candey@nasa.gov)  
Curator: Tami Kovalick  
Last Modified: 6 Dec 2022

Contact SPDF: NASA-SPDF-  
[Support@nasa.onmicrosoft.com](mailto:Support@nasa.onmicrosoft.com)  
+ Privacy Policy and Important Notices

Data successfully  
added to container

When data is added to the container...

- A link for each variable is added to the variable list,
- And the proper citation is added to the container's citation list.
- The link in the variable list links to three items:
  - Documentation/Help
  - Metadata/Properties
  - Remove/Change Name Options



# DIARieS container: Software Discovery and Implementation Interface

← → ↺

heliopython.org/projects/

🔍 📄 ⭐

Projects

To add a project to this page, please refer yourself to the [project addition instructions](#).

Core packages







These packages each offer a wide range of functionality in their area, and conform to the PyHC comm

Table

Cards

Search:

Show Keyword Filters

Name	Description	Code	Docs	Site	Contact	Co
HAPI Client	Access time series data access from many sources				Bob Weigel	Good
Kamodo	CCMC tool for access, interpolation,				Rebecca Ringuette rebecca.ringuette@nasa.gov	Partially Good

Package Added

When software is added to the container...

- A link for each package, named with the package name, is added to the package list,
- And the proper citation is added to the container's citation list.
- The link in the package list links to three items:
  - Documentation/Help
  - Metadata/Properties
  - Remove/Update Options

12

# Welcome to the DIARieS Ecosystem

File   Add   Templates   Packages   Variables   Citations   Recording   Share   Help

## Menu options (in above drop-down menus)

### File:

- New
- Open
- Save/Save as
- Close

### Add:


- Data/Model Outputs/Catalogs
- Software
- Widget
- Notebook
- Computing Resource

### Templates:

- Template search
- Import template
- Create new template

### Packages:


- cdflib
- Xarray
- Kamodo
- ...



Documentation/Help  
Metadata/Properties  
Remove/Update

### Variables:

- rho\_ion
- T\_ion
- Oplus
- time
- ...



Documentation/Help  
Metadata/Properties  
Remove/Change Name

### Citations:


- (Pop up window with citation list and export options)

### Recording:

- Create recording
- Edit recording
- View recording



# DIARieS: Simplifying AIR



(AIR = Accessibility, Interoperability, and Reproducibility)

# Welcome to the DIARieS Ecosystem

File   Add   Templates   Packages   Variables   Citations   Recording   Share   Help

## Menu options (in above drop-down menus)

### File:

- New
- Open
- Save/Save as
- Close

### Add:


- Data/Model Outputs/Catalogs
- Software
- Widget
- Notebook
- Computing Resource

### Templates:

- Template search
- Import template
- Create new template


### Packages:

- cdfplib
- Xarray
- Kamodo
- ...



### Variables:

- rho\_ion
- T\_ion
- Oplus
- time
- ...



### Citations:

- (Pop up window with citation list and export options)

### Recording:

- Create recording
- Edit recording
- View recording

# DIARieS container: Analysis Interface

## Widget Library

Search: \_\_\_\_\_

- Kamodo visualization
- CDF visualization
- PlasmaPy function library
- pysat data retrieval
- Kamodo model data interface
- SpacePy SWMF tools
- SunPy data filtering
- SciPy

## Loaded Widgets

Search: \_\_\_\_\_

### PyHC Coordinate Converter

Choose input variables Select coordinate system

time	Select variable	Select units	Select coordinate type
X or longitude	Select variable	Select units	Select coordinate type
Y or latitude	Select variable	Select units	Select coordinate type
Z, radius, or altitude	Select variable	Select units	Select coordinate type

Choose output variables Select coordinate system


time	Type new name	Select units	Select coordinate type
X or longitude	Type new name	Select units	Select coordinate type
Y or latitude	Type new name	Select units	Select coordinate type
Z, radius, or altitude	Type new name	Select units	Select coordinate type

### AstroPy Unit Converter


### Kamodo Flythrough

## Active Widgets


Search: \_\_\_\_\_



Kamodo 3D visualization



Kamodo 1D visualization



pySPEDAS visualization

# DIARieS container: Analysis Interface

## Variable Library

- rho\_n
- T\_ion
- X\_GEO
- Y\_GEO
- Z\_GEO
- time.UTC
- TEC\_GITM
- glat

## Loaded Widgets

### PyHC Coordinate Converter

Choose input variables Select coordinate system

time	Select variable	Select units	Select coordinate type
X or longitude	Select variable	Select units	Select coordinate type
Y or latitude	Select variable	Select units	Select coordinate type
Z, radius, or altitude	Select variable	Select units	Select coordinate type

Choose output variables Select coordinate system

time	Type new name	Select units	Select coordinate type
X or longitude	Type new name	Select units	Select coordinate type
Y or latitude	Type new name	Select units	Select coordinate type
Z, radius, or altitude	Type new name	Select units	Select coordinate type

## Interactive Notebook


### 2.3.1 Perform SpacePy Calculations with MMS Data

```
def spacecraft_magnetopause_calculations(mms_mec_vars):  
    """Returns epoch,  
    pos,  
    distance between spacecraft and magnetopause  
    magnetopause's distance from Earth,  
    spacecraft's distance from Earth,  
    and solar zenith angle.  
    """  
    data = pyplot.get_data(mms_mec_vars[0])  
    pos_gsm = data.y  
    ticks = spacepy.time.Ticktock(data.times, dtype='UNIX')  
    epoch = ticks.UTC  
    c = spacepy.coordinates.Coords(pos_gsm, 'GSM', 'car', u  
    pos = c.convert('GSE', 'car').data  
  
    # Get the Shue coefficients  
    alpha = [] # Shue flaring angle  
    standoff = spacepy.empiricals.getMPstandoff(ticks, alph  
    alpha = np.array(alpha)  
  
    # Solar zenith angle of s/c position (angle with GSE +x  
    sza = np.arctan2(pos[:, 0], np.sqrt((pos[:, :2] ** 2).s  
    # Radial distance to MP along Earth-SC line (applicatio  
    mp_dist = standoff * (2. / (1 + np.cos(sza))) ** alpha  
    # Radial distance to SC  
    sc_dist = np.sqrt((pos ** 2).sum(axis=1)) / 6378  
    # How far is SC outside of MP?  
    sc_to_mp = sc_dist - mp_dist  
  
    return epoch, pos, sc_to_mp, mp_dist, sc_dist, sza
```

### 2.3.2 Detect Magnetopause Crossings

Since we can calculate the distance between the spacecraft and the magnetopause, we can find crossings by collecting the indices where that distance crosses 0 (i.e., changes sign):

## Active Widgets



## Widget Help

Select a widget to see the tutorials and documentation.

## Presentation Tools

Add a  
narration

Record a  
tutorial

Presentation  
Mode



Link to recorded talk on YouTube:  
<https://youtu.be/aP7VAHMO6M4>

# Summary



LIKED publication DOI:  
10.1016/j.asr.2022.10.051



DIARieS publication DOI:  
10.1016/j.asr.2022.05.012

Heliophysics currently needs a coordinated push to make our work FAIR and efficient.

**Connect**  
our archives  
based on a  
'system of  
systems'  
approach.

**Build**  
on the  
successes of  
current  
efforts and  
technology.

**Assemble**  
our various  
advances  
into a  
streamlined  
workflow

*We call on the community to work together  
on this goal to launch our field into the  
future.*